CONTRACT DOCUMENTS, SPECIFICATIONS
AND
CONTRACT DRAWINGS
FOR



CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

BID NO. 2026.23

ADDENDUM NO. 1

DATE ISSUED: October 27, 2026

BID DATE: Thursday, November, 19, 2026, Due 9:45AM
BID LOCATION: St. John the Baptist Parish Purchasing and Procurement Department in St. John the Baptist Parish Government Complex Building, 1811 W. Airline Highway, LaPlace, LA 70068

This addendum shall be considered part of the Contract Documents for the same above-mentioned project as though it had been issued at the same time and incorporated integrally therewith. Where provisions of the following supplementary data differ from the original Contract Documents, this Addendum shall govern and take precedent.

Acknowledge receipt of the addendum by inserting its number and date on the Bid Form of the Bid Documents. Failure to do so will cause the bid response to be rejected.

The following items are issued to add to, modify, and clarify the Contract Documents. These items shall have full force and effect as in the Contract Documents, and the cost involved shall be included in the bid prices. It will be construed that each Bid is submitted with full knowledge of all modifications and supplemental data specified herein.

This Addendum No. 1 consists of 3 pages including the title sheet and all attachments.

REVISED BIDDING REQUIREMENTS

A. Specifications

1. Title Page: Replace "2027 Culverts and Drainage Improvements Project" with "Culverts and Drainage Improvements Project"
2. Advertisement for Bid: Replace Title "2026 Culverts and Drainage Improvements" with "Culverts and Drainage Improvements Project"
3. Advertisement for Bid, Paragraph 2: Replace "Bid No. 2026.23 – 2027 Culverts and Drainage Improvements Project" with "2026.23 Culverts and Drainage Improvements Project"
4. Advertisement for Bid: Replace "A mandatory Pre-Bid Conference will be held at 1811 W. Airline Highway, LaPlace, LA 70068 on November 03, 2026 at 11:00 A.M." with "A mandatory Pre-Bid Conference will be held at 1811 W. Airline Highway, LaPlace, LA 70068 on November 04, 2026 at 11:00 A.M.
5. Section 01 Title: Replace "2027 Culverts and Drainage Improvements Project" with "Culverts and Drainage Improvements Project"
6. Section 01 Part 3.0 Pre-BID Conference: Replace "A mandatory Pre-Bid Conference will be held at 1811 W. Airline Highway, LaPlace, LA 70068 on November 03, 2026 at 11:00 A.M." with "A mandatory Pre-Bid Conference will be held at 1811 W. Airline Highway, LaPlace, LA 70068 on November 04, 2026 at 11:00 A.M."
7. Section 02 Bid Form: Replace "2027 Culverts and Drainage Improvements Project" with "Culverts and Drainage Improvements"
8. Section 01 Part 2.0 Submission of BID: Replace "Bid No. 2026.23 – 2027 Culverts and Drainage Improvements Project" with "2026.23 Culverts and Drainage Improvements Project"
9. Section 03 Bid Bond: Replace "2027 Culverts and Drainage Improvements Project" with "Culverts and Drainage Improvements Project"
10. Section 04 Agreement: Replace "2027 Culverts and Drainage Improvements Project" with "Culverts and Drainage Improvements Project"
11. Section 04.1 Payment Bond: Replace "2027 Culverts and Drainage Improvements Project" with "Culverts and Drainage Improvements Project"
12. Section 04.2 Performance Bond: Replace "2027 Culverts and Drainage Improvements Project" with "Culverts and Drainage Improvements Project"

13. Section 06 Part 1.04 PRE-BID CONFERENCE: Replace "All prospective bidders are invited to attend the mandatory pre-bid conference which will be held at 11:00 A.M. local time on November 03, 2026 in the St. John the Baptist Parish Government Building at 1811 W. Airline Hwy, LaPlace, LA 70068." With "All prospective bidders are invited to attend the mandatory pre-bid conference which will be held at 11:00 A.M. local time on November 04, 2026 in the St. John the Baptist Parish Government Building at 1811 W. Airline Hwy, LaPlace, LA 70068."
14. Typical Drainage Details: Replace "2027 Culverts and Drainage Improvements Project" with "Culverts and Drainage Improvements Project"

St. John The Baptist Parish

CONTRACT DOCUMENTS

FOR

BID NO. 2026.23

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

OCTOBER 2026

PREPARED BY:

digital engineering

DIGITAL ENGINEERING & IMAGING, INC.

ADVERTISEMENT FOR

ST. JOHN THE BAPTIST PARISH

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

Sealed Bids will be received by St. John the Baptist Parish Purchasing and Procurement Department in St. John the Baptist Parish Government Complex Building, 1811 W. Airline Highway, LaPlace, La. 70068, at the receptionist's desk, or electronically submitted on www.centralbidding.com until **9:45 A.M. Local Time, November 19, 2026.**

Bids shall be addressed to the St. John the Baptist Parish Purchasing and Procurement. Bid envelopes shall be sealed, display the name, address, and Louisiana State Contractor's License Number of the bidder, and be clearly marked on the outside of the envelope **"2026.23 Culverts and Drainage Improvements Project"** Any bids received after the specified time and date will not be considered. The sealed bids will be publicly opened and read aloud at **9:45 A.M. Local Time, November 19, 2026**, in the St. John the Baptist Parish Government Complex Council Chambers, 1811 W. Airline Highway, LaPlace, LA 70068.

Bid documents may be viewed on or downloaded from the parish website, www.sjbparish.com; obtained by contacting Peter Montz or Mellissa Tassara at the above address, phone 985-652-9569, or p.montz@Stjohn-la.gov or m.tassara@Stjohn-la.gov or downloaded and Bids electronically submitted on www.centralbidding.com.

A mandatory Pre-Bid Conference will be held at **1811 W. Airline Highway, LaPlace, LA 70068** on November 03, 2026, at 11:00 A.M. local time.

Questions and comments regarding this Bid must be submitted in writing to St. John the Baptist Parish, Purchasing & Procurement Department, **ATTN: Peter Montz, 1811 West Airline Highway, LaPlace, LA 70068** or via e-mail to p.montz@Stjohn-la.gov no later than 10:00 A.M. local time on November 12, 2026.

The Owner reserves the right to reject any and all bids for just cause; such actions will be in accordance with Title 38 of the Louisiana Revised Statutes. In accordance with R.S. 38:2212(A)(1)(b), the provisions and requirements stated in the Bidding Documents shall not be waived by any entity.
No bidder may withdraw his/her bid within forty-five (45) days after the actual date of the opening thereof, except as provided under LA. R.S. 38:2214.

Equal Opportunity in Employment: All qualified applicants will receive consideration for employment without regard to race, color, religion, sex, sexual orientation, gender identity, national origin, genetics, disability, or veteran status.

Participation by minority and female owned businesses, as well as businesses located in St. John the Baptist Parish is encouraged.

Any person with disabilities requiring Special Accommodations must contact St. John the Baptist Parish at (985) 652-9569 no later than seven (7) days prior to bid opening.

ST. JOHN THE BAPTIST PARISH COUNCIL

Publish:
October 21, 2026
October 28, 2026
November 04, 2026

TABLE OF CONTENTS

Section 01 Invitation for Bid

Section 02 Louisiana Public Work Bid Form

Section 03 Bid Bond

Section 03.1 Corporate Resolution / Certificate of Authority

Section 03.2 Past Criminal Convictions of Bidders Attestation (LA R.S.:2227)

Section 03.3 St. John the Baptist Parish Non-Solicitation and Unemployment Affidavit

Section 03.4 E-Verify Affidavit

Section 03.5 Certification Regarding Lobbying

Section 03.6 Information For Bidders

Section 04 Agreement & Additional Contract Terms

Section 04.1 Payment Bond

Section 04.2 Performance Bond

Section 05 General Conditions

- ARTICLE 1 – Definitions
- ARTICLE 2 – Preliminary Matters
- ARTICLE 3 – Contract Documents; Intent, Amending, Re-use
- ARTICLE 4 – Availability of Lands; Physical Conditions Reference Points
- ARTICLE 5 – Bonds and Insurance
- ARTICLE 6 – Contractor's Responsibilities
- ARTICLE 7 – Other Work
- ARTICLE 8 – Owner's Responsibilities
- ARTICLE 9 – Engineer's Status during Construction
- ARTICLE 10 – Changes in the Work
- ARTICLE 11 – Change of Contract Price
- ARTICLE 12 – Change of Contract Time
- ARTICLE 13 – Warranty and Guarantee; Tests and Inspections
- ARTICLE 14 – Payments to Contractor and Completion
- ARTICLE 15 – Suspension of Work and Termination
- ARTICLE 16 – Dispute Resolution
- ARTICLE 17 – Miscellaneous

Section 06 Special Contract Provisions

TECHNICAL SPECIFICATIONS

APPENDIX A – TYPICAL DRAINAGE DETAILS

Section 01

Invitation for Bid

Culverts and Drainage Improvements Project

SUMMARY OF WORK

The Scope of the contract work is to provide means to perform drainage and culverts improvements in the Parish. These replacements/repairs will be done on an as-needed basis only and no minimum expenditure is guaranteed under this contract. Payment for work performed shall be on a unit price basis. It is intended to issue task orders as needed to perform repairs at various locations in St. John the Baptist Parish.

This contract will be utilized by St. John the Baptist Parish to complete all work in accordance with the Contract Documents.

This project consists of furnishing all supervision, labor, equipment, materials, and any other resources necessary to complete the work per the pay items indicated in the bid form. Contractors submitting bids shall be licensed under LA R.S. 37:2150-2164, Municipal & Public Works Construction and/or Heavy Construction.

The BID package includes the following:

1. Completed Louisiana Uniform Bid Form
2. Bid Security or Bid Bond
3. Corporate Resolution or Certificate of Authority
4. Past Criminal Convictions Attestation*
5. Non-Solicitation and Unemployment Affidavit*
6. Certificate Regarding Debarment*
7. E-Verify Affidavit*
8. Bidder Information Page*

*These documents are due to St. John the Baptist Parish within 10 days after bid opening. They are not required to be submitted with the BID.

General Information

1.0 BID PREPARATION

1.1 This BID is subject to all applicable state and local laws, including the Louisiana Code of Governmental Ethics.

1.2 BID documents may be viewed on or downloaded from the parish website, www.sjbparish.com, or by contacting Peter Montz or Mellissa Tassara at the above address, phone 985-652-9569, or p.montz@Stjohn-la.gov or m.tassara@Stjohn-la.gov. Bid documents may also be downloaded from www.centralbidding.com. Bids should only be electronically submitted on www.centralbidding.com.

1.3 No interpretation of the meaning of the plans, specifications or other pre-bid documents will be made to any bidder orally. Written addenda to the BID may be issued to provide clarification, corrections, or to answer questions. Any addenda issued will be posted to St. John the Baptist Parish website, and posted to the Central Biding website.

1.4 Questions and comments regarding this BID must be submitted in writing to St. John the Baptist Parish, Purchasing & Procurement Department, **ATTN: Peter Montz, 1811 West Airline Highway, LaPlace, LA 70068 or via e-mail to p.montz@stjohn-la.gov no later than 10:00 A.M. Local Time November 12, 2026.**

1.5 Each bid must be submitted on the prescribed form. All blank spaces for bid prices must be filled in, in ink or typewritten, in both words and figures.

1.6 Conditions of Work: Each bidder must inform himself fully of the conditions relating to the construction of the project and the employment of labor thereon. Failure to do so will not relieve a successful bidder of his obligation to furnish all materials and labor necessary to carry out the provisions of his contract. Insofar as possible the contractor, in carrying out the work, must employ such methods or means as will not cause any interruption of or interference with the work of any other contractor.

1.7 Laws and Regulations: All applicable State laws, municipal ordinances and rules and regulations of authorities having jurisdiction over construction of the project shall apply to the contract throughout and will be deemed to be included in the contract the same as written herein in full.

1.8 Subcontractors: The bidder is specifically advised that any person for or other party to whom it is proposed to award a subcontract under this contract must be acceptable to the Owner. The Contractor shall submit to the Owner, for review and written approval, a list of all proposed Subcontractors prior to the commencement of any work by such Subcontractor on the Project. No Subcontractor shall be permitted to commence work, furnish labor, materials, or equipment on the Project until the Subcontractor has been approved in writing by the Owner. The Owner reserves the right to reject any proposed Subcontractor for reasonable cause, including lack of qualifications, licensing deficiencies, inadequate experience, prior unsatisfactory performance, or other circumstances that may adversely affect the successful completion of the project.

1.9 Determination of Unit and Extended Prices: In unit price bids, the total amount bid shall be in the sum of the correct extensions of the unit price bid on each item of work multiplied by the approximate quantity of work shown for the respective item. Each extension shall be carried to one hundredth of a dollar, and the last digit in the extension (or cents' place) shall not be rounded off.

1.10 Erasures: The bid submitted must not contain erasures. Any and all interlineations or other corrections shall be suitably authenticated by affixing in the margin immediately opposite the correction the initials of the person or persons signing the bid.

1.11 Prices: In the event of a discrepancy between the prices quoted in words and those quoted in figures in the bid, the words shall control. The prices are to include the furnishing of all materials, plant, equipment, tools, and all other facilities, and the performance of all labor and

services necessary or proper for the completion of the work except as may be otherwise expressly provided in the contract documents.

1.12 Qualifications of Bidder: The Owner may make such investigations deemed necessary to determine the ability of the bidder to perform the work, and the bidder shall furnish to the Owner all such information and data for this purpose as the Owner may request. The Owner reserves the right to reject any bid if the evidence submitted by, or investigation of, such bidder fails to satisfy the Owner that such bidder is responsible and is properly qualified to carry out the obligations of the contract and complete the work contemplated therein. Any conditions placed on a submitted bid shall result in rejection of such bid.

1.13 Bid Security: Each bid must be accompanied by cashier's check or certified check of the bidder, or a bid bond, duly executed by the bidder as principal and having as surety thereon a surety company approved by the Owner, in the amount of 5 percent of the bid made payable to the Owner. Such cashier's checks, certified checks, or bid bonds will be returned to all except the three lowest bidders within three days after the opening of bids, and the remaining cashier's checks, certified checks, or bid bonds will be returned promptly after the Owner and the accepted bidder have executed the contract, or, if no award has been made within 45 days after the date of the opening of bids, upon demand of the bidder at any time thereafter, so long as he has not been notified of the acceptance of his bid. Sureties used for obtaining bonds must appear as acceptable on the U.S. Department of the Treasury Circular 570.

1.14 Liquidated Damages for Failure to Enter into Contract: The successful bidder, upon his failure or refusal to execute and deliver the contract and bonds within 10 days after he receives notice of the acceptance of his bid, shall forfeit to the Owner, as liquidated damages for such failure or refusal, the security deposited with his bid.

2.0 Submission of BID

2.1 Electronic BIDS shall be accepted only on www.centralbidding.com. Paper BIDs shall be addressed to St. John the Baptist Parish and delivered to the receptionist located in the St. John the Baptist Parish Government Complex, 1811 West Airline Hwy., LaPlace, LA 70068 no later than **9:45 A.M. local time on November 19, 2026.**

2.2 BID package must be submitted in a sealed envelope or package clearly marked with the Bidder's **name, address, and Louisiana State Contractor's Number,** and **"2026.23 Culverts and Drainage Improvements Project".**

2.3 With the submittal of a Paper BID, please include a copy of the bid on a flash drive.

3 The Scope of the contract work is to provide means to perform drainage and culverts improvements in the Parish. These replacements/repairs will be done on an as-needed basis only and no minimum expenditure is guaranteed under this contract. Payment for work performed shall be on a unit price basis. It is intended to issue task orders as needed to perform repairs at various locations in St. John the Baptist Parish.

3.2 The Parish will not be responsible for submissions forwarded through the U.S. Postal Service or any delivery service if lost in transit at any time before submission opening, or if hand-delivered to the incorrect location.

3.3 BIDs submitted by facsimile (FAX) or e-mail will not be accepted. Any BID received after **9:45 A.M. local time** on **November 19, 2026** will be deemed unresponsive and will be returned to the Bidder unopened.

3.4 Per LA R.S. 38:2212(B)(2), the bidding documents shall require only the following to be submitted by a bidder on a public works project:

- Completed Louisiana Uniform Bid Form
- Bid Security or Bid Bond
- Acknowledgement of Addenda
- Base Bid
- Alternates
- Signature of Bidder
- Name, Title, and Address of Bidder
- Name of Firm or Joint Venture
- Corporate Resolution or written evidence of the authority of the person signing the bid
- Louisiana Contractor's License Number **(must also be on the sealed envelope of package)**

If the Parish adds any additional requirements for information, unless mandated by State or Federal requirements, they shall be part of the ten day documents submittal package.

3.0 Pre-BID Conference

A mandatory Pre-Bid Conference will be held at **1811 West Airline Highway, LaPlace, LA 70068** on **November 03, 2026 at 11:00 A.M.**

4.0 Opening

BIDs will be opened publicly at **9:45 A.M**. **local time on November 19, 2026** in the St. John the Baptist Parish Government Building, 1811 W. Airline Highway, LaPlace, LA 70068.

5.0 Public Disclosure

It is understood and agreed upon by the Company in submitting a BID that the Parish has the right to withhold all information regarding this procurement until after contract award, including but not limited to: the number received; competitive technical information; competitive price information; and the Parish's evaluation concerns about competing BIDs. Information releasable after award is subject to the disclosure requirements of the Louisiana Public Records Act. Company specifically waives any claims against Parish related to the disclosure of any materials if made under a public records request.

6.0 Parish Commitment

6.1 The Owner reserves the right to reject any and all bids for just cause; such actions will be in accordance with Title 38 of the Louisiana Revised Statutes. In accordance with R.S. 38:2212 (A)(1)(b), the provisions and requirements stated in the Bidding Documents shall not be waived by any entity.

6.2 The Parish reserves the right to terminate this BID at any time prior to contract execution.

6.3 No prior, current, or post-award verbal conversation or agreement(s) with any officer, agent, or employee of the Parish shall affect or modify any terms or obligations of this BID, or any contract resulting from this procurement.

6.4 The Parish reserves the right to revise any part of the BID by issuing an addendum to the BID at any time in accordance with relevant Louisiana Revised Statutes. Issuance of this BID in no way constitutes a commitment by the Parish to award a contract. The Parish reserves the right to accept or reject, in whole or part, all BIDs submitted, and/or cancel this announcement if it is determined to be in the Parish's best interest. All materials submitted in response to this announcement become the property of the Parish, and selection or rejection of a submittal does not affect this right.

7.0 Late, Modified, or Withdrawn BIDs

7.1 Any BID received after the exact time specified for receipt will not be accepted or opened.

7.2 No modification of a BID will be accepted.

7.3 No bidder may withdraw his/her bid within forty-five (45) days after the actual date of the opening thereof, except as provided under LA. R.S. 38:2214.

8.0 Evaluation and Selection

The Parish Administration will present its recommendation to St. John the Baptist Parish Council for award. This award will be made to the lowest responsive and responsible Bidder. The Parish also reserves the right to reject any and all BIDs.

9.0 Contract Time

The Contract Time will begin on the date of the full contract execution (by both parties) and will end on December 31, 2027. Upon written mutual agreement between the Parish Council and the Contractor, the contract may be extended one (1) time for one (1) additional year. The Parish will not honor or consider any price increase, surcharges, or additional costs during the original term or extension.

10.0 Security for Faithful Performance

Simultaneously with his delivery of the executed contract, the successful bidder shall furnish a surety bond or bonds as security for faithful performance of this contract and for the payment of all persons performing labor on the project under this contract and furnishing materials in connection with this contract. The surety on such bond or bonds shall be a duly authorized surety company satisfactory to the Owner. Only those surety companies currently on the U. S. Department of Treasury Financial Management Services list (Circular 570) of approved bonding companies will be accepted. The agent selling the bond must be currently licensed to do business in Louisiana. This will be verified by the Owner.

The successful bidder will be required to file a performance bond in the full amount (100-percent) of the contract price for the full period of the contract and a payment bond in the full amount (100-percent) of the contract price for the full period of the contract.

11.0 Power of Attorney

Attorneys-in-fact who sign bid bonds or contract bonds must file with each bond a certified and

effectively dated copy of their power of attorney.

12.0 Insurance

Bidder shall obtain, pay for and keep in force, at its own expense, minimum insurance effective in all localities where Consultant/Company may perform the work hereunder, with such carriers as shall be acceptable to Council:

A. **Statutory Workman's Compensation** covering all state and local requirements and Employer's Liability Insurance covering all persons employed by Consultant/Company in connection with this agreement.

The limits for "A" above shall be not less than:

1. Employer's liability limits of $1,000,000/$1,000,000/$1,000,000
2. Some contracts may require USL&H or maritime coverage. This should be verified with Insurance Department/Legal Dept.
3. No excluded classes of owners/officers or employees shall be allowed on Council's premises.

WAIVER OF SUBROGATION in favor of St. John the Baptist Parish Council should be indicated on certificate.

B. **Commercial General Liability**, including:

1. Contractual liability assumed by this agreement
2. Owner's and Contractor's Protective Liability (if Contractor is a General Contractor) may be required.
3. Personal and advertising liability
4. Completed operations
5. Medical payments

The limits for "B" above shall not be less than:

1. $5,000,000 each occurrence limit
2. $5,000,000 general aggregate limit
3. $5,000,000 products/completed operations aggregate limit
4. $1,000,000 personal and advertising injury limit
5. $50,000 fire damage limit
6. $5,000 medical expense limit (desirable but not mandatory)

St. John the Baptist Parish Council will be NAMED as additional insured and WAIVER OF SUBROGATION in favor of St. John the Baptist Parish Council should be indicated on certificate.

Some contracts may require Protection and Indemnity coverage. This should be verified with Insurance Department/Legal Dept.

C. **Comprehensive Automobile Liability** covering all owned, hired and other non-owned vehicles of the Company.

The limits for "C" above shall not be less than:

1. $500,000 per occurrence for bodily injury and property damage

This insurance shall include for bodily injury and property damage the following coverages:

1. Any automobiles;
2. Owned automobiles;

3. Hired automobiles;
4. Non-owned automobiles.

St. John the Baptist Parish Council will be NAMED as additional insured and WAIVER OF SUBROGATION in favor of St. John the Baptist Parish Council should be included on certificate. WAIVER OF SUBROGATION in favor of St. John the Baptist Parish Council shall be included on the Certificate.

OTHER SPECIFIC COVERAGE RELATED TO THE TASK BEING PERFORMED MAY BE REQUIRED.

All required insurance certificates shall be submitted to the Director of Purchasing & Procurement prior to commencement of work. Company shall maintain insurance in full force and effect during the entire period of performance of work. All policies must have a thirty (30) day non-cancellation clause giving the Parish thirty (30) days prior written notice in the event a policy is changed or canceled.

13.0 Submittals Required After Bid Opening

Failure of the apparent low bidder to provide the following documentation any later than 10 days after the bid is opened shall be cause to declare the apparent low bidder non-responsive and award the bid to the next lowest bidder. (Pursuant to LA RS 38:2212)

- Past Criminal Convictions of Bidders Attestation
- Non-Solicitation and Unemployment Affidavit
- E-Verify Form
- Certification Regarding Debarment, Suspension, Lobbying, and Other Responsibility Matters
- Bidder Information Page

14.0 Invoices / Applications for Payment

Applications for Payment will be processed by St. John the Baptist Parish.

Itemized invoices for payment of these services shall be submitted to the Engineer for approval prior to routing to Accounts Payable. Construction invoices shall be submitted using the AIA Application and Certification for Payment AIA G702 and AIAG703 forms unless otherwise determined.

St. John the Baptist Parish shall make progress payments on account of the Contract Price on the basis of CONTRACTOR's Applications for Payment as recommended by ENGINEER, as provided below. All such payments will be measured by the schedule of values established.

Refer to the Contract Documents and provisions under in the General Conditions Article 6 titled "Contractor's Responsibilities" and Article 14 titled "Payments to Contractor and Completion", in addition to any other pertinent provision of the General Conditions, for the requirements associated with the approval of work and completion of all corrective work to the satisfaction of the ENGINEER, submittal and processing of Applications for Payment, and procedures for progress payments and release of final payment, inclusive of CONTRACTOR required deliverables.

~~Retainage:~~

~~1. Retainage shall be withheld, and payments will be made less the retainage by the Owner with the following retainage amounts.~~

~~a. Ten percent (10%) shall be retained on all partial pay estimates for projects with a contract price of $500,000.00 or less; or~~

~~b. Five percent (5%) shall be retained on all partial pay estimates for projects with a~~

~~contract price of $500,000.01 or greater~~

~~2. The normal retainage shall not be due to the Contractor until after Substantial Completion and expiration of the forty-five (45) day lien period and submission to the Engineer of a clear lien certificate and invoice for retainage.~~

15.0 Hold Harmless

To the fullest extent permitted by law, Company shall indemnify, hold harmless, and defend the Parish Council and all of its Agents and Employees, from and against all claims, damages, losses and expenses, including but not limited to attorney's fees, arising out of or resulting from performance of the work, provided that such claim, damage, loss or expense is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the work itself) including loss of use resulting therefrom, but only to the extent caused in whole or in part by negligent acts or omissions of Company.

16.0 Non-Assignability

No Company shall assign any interest in this contract by assignment, transfer, or novation, without prior written consent of the Parish. This provision shall not be construed to prohibit the contractor from assigning his bank, trust company, or other financial institution any money due or to become due from approved contracts without such prior written consent. Notice of any such assignment or transfer shall be furnished promptly to the Parish.

17.0 Exclusions

Pursuant to Louisiana Revised Statute 38:2227, Contractor must certify that he has not been convicted of, or has not entered into a plea of guilty or nolo contendere to public bribery, corrupt influencing, extortion, money laundering or their equivalent Federal crimes. Consultant must further certify that he has not been convicted of, or has not entered into a plea of guilty or nolo contendere to theft, identify theft, theft of a business record, false accounting, issuing worthless checks, bank fraud, forgery; contractors' misapplication of payments, malfeasance in office, or their equivalent Federal crimes within the five (5) years prior to submitting the BID.

18.0 Disclosure

Company must disclose whether it provides services or pays commissions to any employee or elected official of St. John the Baptist Parish. If so, company must disclose to whom services are provided and/or commissions are paid. Both positive and negative responses must be submitted.

19.0 Termination for Cause and Convenience

Bidder acknowledges this contract contains termination provisions including the manner in which termination shall be affected and the basis for settlement. In addition, such provisions shall describe conditions for termination due to fault and for termination due to circumstances outside the bidder's control.

20.0 Severability Clause

If any one or more of the provisions contained in this Agreement shall, for any reasons, be held to be invalid, illegal or unenforceable, in whole or in part, such invalidity, illegality, or unenforceability shall not affect any other provisions of this Agreement, and in such an event, this Agreement shall be construed as if such invalid, illegal, or unenforceable provisions had never been contained herein.

21.0 Venue

This Agreement shall be governed by the laws of the State of Louisiana. Proper venue for any lawsuit arising under the terms of this Agreement shall be the Fortieth Judicial District Court, St.

John the Baptist Parish and any appropriate Appellate therefrom. Bidder hereby agrees and consents to personal and/or in rem jurisdiction of the trail and appropriate Appellate courts.

22.0 Discrimination Clause

The Bidder agrees to abide by the requirements of the following as applicable: Title VI of the Civil Rights Act of 1964 and Title VII of the Civil Rights Act of 1964, as amended by the Equal Employment Opportunity Act of 1972, Federal Executive Order 11246 as amended, the Rehabilitation Act of 1973, as amended, the Vietnam Era Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, the Age Discrimination Act of 1975, the Fair Housing Act of 1968 as amended, and Bidder agrees to abide by the requirements of the Americans with Disabilities Act of 1990.

23.0 Suspension and Debarment

(1) This contract is a covered transaction for purposes of 2 C.F.R. pt. 180 and 2 C.F.R. pt. 3000. As such, the contractor is required to verify that none of the contractor's principals (defined at 2 C.F.R. § 180.995) or its affiliates (defined at 2 C.F.R. § 180.905) are excluded (defined at 2 C.F.R. § 180.940) or disqualified (defined at 2 C.F.R. § 180.935).

(2) The contractor must comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, and must include a requirement to comply with these regulations in any lower tier covered transaction it enters into.

(3) This certification is a material representation of fact relied upon by the parish. If it is later determined that the contractor did not comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, in addition to remedies available to the PARISH, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment.

(4) The bidder or proposer agrees to comply with the requirements of 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C while this offer is valid and throughout the period of any contract that may arise from this offer. The bidder or proposer further agrees to include a provision requiring such compliance in its lower tier covered transactions. a. Standard. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds.

24.0 E-Verify Program

Pursuant to Louisiana Revised Statute 38:2212.10, contractor must certify that it and each individual, firm or corporation associated with it and engaged in the physical performance of services in the State of Louisiana, under a contract with St. John the Baptist Parish has registered with, is participating in, and shall continue to participate in a federal work authorization program designated as such under the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, as amended, which is operated by the United States Department of Homeland Security, known as the "E-Verify" program. Contractor must verify the legal status of all existing and new employees in the State of Louisiana by attesting herein that each is a citizen of the United States or legal aliens as defined by now effective immigration laws of the United States of America.

25.0 Tax Exempt

Pursuant to Louisiana Revised Statute 47:301(8)(c) the St. John the Baptist Parish Government, being a political subdivision, is exempted from sales tax levied by the State. The successful bidder will be issued a Louisiana Department of Revenue form R-1020, designating the Contractor as an agent of St. John the Baptist Parish for the exemption of sales tax.

26.0 Equal Employment Opportunity

During the performance of this contract, the contractor agrees to abide by 41 C.F.R. Part 60-1.4(b).

27.0 Davis Bacon

Not Applicable.

28.0 Copeland Anti-Kickback Act

Not Applicable.

29.0 Contract Work Hours and Safety Standards Act

The regulation at 29 C.F.R. § 5.5(b) provides contract clause language concerning compliance with the Contract Work Hours and Safety Standards Act.

30.0 Rights to inventions made under a contract or agreement

Not Applicable.

31.0 Clean Air Act

1. The contractor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq.

2. The contractor agrees to report each violation to the PARISH and understands and agrees that the PARISH will, in turn, report each violation as required to assure notification to the Federal Emergency Management Agency, and the appropriate Environmental Protection Agency Regional Office.

3. The contractor agrees to include these requirements in each subcontract exceeding $150,000 financed in whole or in part with Federal assistance provided by FEMA.

32.0 Federal Water Pollution Control Act

1. The contractor agrees to comply with all applicable standards, orders, or regulations issued pursuant to the Federal Water Pollution Control Act, as amended, 33 U.S.C. 1251 et seq.

2. The contractor agrees to report each violation to the PARISH and understands and agrees that the PARISH will, in turn, report each violation as required to assure notification to the Federal Emergency Management Agency, and the appropriate Environmental Protection Agency Regional Office.

3. The contractor agrees to include these requirements in each subcontract exceeding $150,000 financed in whole or in part with Federal assistance provided by FEMA.

33.0 Procurement of Recovered Materials

In the performance of this contract, the Contractor shall make maximum use of products containing recovered materials that are EPA-designated items unless the product cannot be acquired

1. Competitively within a timeframe providing for compliance with the contract performance schedule;
2. Meeting contract performance requirements; or
3. At a reasonable price.

ii. Information about this requirement, along with the list of EPA- designated items, is available at EPA's Comprehensive Procurement Guidelines web site, https://www.epa.gov/smm/comprehensive- procurement-guideline-cpg-program

iii. The Contractor also agrees to comply with all other applicable requirements of Section 6002 of the Solid Waste Disposal Act."

34.0 Access to Records

The Contractor agrees to provide the Parish, the FEMA Administrator, the Comptroller General of the United States, or any of their authorized representatives access to any books, documents, papers, and records of the Contractor which are directly pertinent to this contract for the purposes of making audits, examinations, excerpts, and transcriptions. The Contractor agrees to permit any of the foregoing parties to reproduce by any means whatsoever or to copy excerpts and transcriptions as reasonably needed. The Contractor agrees to provide the FEMA Administrator or his authorized representatives access to construction or other work sites pertaining to the work being completed under the contract. In compliance with the Disaster Recovery Act of 2018, the Parish and the Contractor acknowledge and agree that no language in this contract is intended to prohibit audits or internal reviews by the FEMA Administrator or the Comptroller General of the United States.

35.0 DHS Seal, Logo and Flags

The contractor shall not use the DHS seal(s), logos, crests, or reproductions of flags or likenesses of DHS agency officials without specific FEMA pre-approval.

36.0 Changes

No additional changes, enhancements, or modifications to any contract resulting from this BID shall be made without the prior approval of PARISH. Any modifications to the provisions of this contract shall be in writing, signed by all parties and approved the required authorities.

Changes to the contract include any change in compensation; beginning/ ending date of the contract; scope of work; and/or Contractor change through the Assignment of Contract process. Any such changes, once approved, will result in the issuance of an amendment to the contract.

Change Orders shall be submitted using the Change Order AIA G701 form unless otherwise determined.

37.0 Compliance with Federal Law, Regulations, and Executive Orders

This is an acknowledgement that FEMA financial assistance will be used to fund all or a portion of the contract. The Contractor will comply with all applicable Federal law, regulations, executive orders, FEMA policies, procedures, and directives.

38.0 No Obligation by Federal Government

The Federal Government is not a party to this contract and is not subject to any obligations or liabilities to the non-Federal entity, contractor, or any other party pertaining to any matter resulting from the contract.

39.0 Program Fraud and False or Fraudulent Statements or Related Acts

The Contractor acknowledges that 31 U.S.C. Chap. 38 (Administrative Remedies for False Claims and Statements) applies to the Contractor's actions pertaining to this contract.

40.0 Substantial Completion

Substantial Completion shall be granted once the Parish, or its designated design consultant, identifies the project to be at the stage in the progress of the Work when the Work or designated portion thereof is sufficiently complete in accordance with the Contract Documents so that the Owner can occupy or utilize the Work for its intended use. It is the responsibility of the Contractor to notify the Parish, and its designated design consultant, when the Contractor is of the opinion the project is substantially complete. Once determined the Work is identified as substantially complete a Certificate of Substantial Completion AIA G704 or other acceptable will be issued.

41.0 Additional Work

St. John the Baptist Parish reserves the right to seek additional bids for any other projects (whether similar in nature to this project or not) beyond regular maintenance operations.

INFORMATION PAGE

Bidder Information Form

Today's Date:_____

Name of Bid:_____

Company Name:_____

Primary Contact Person:_____

Mailing Address:_____

City:_____**State:**_____**Zip:**_____

Business Phone:_____

Primary Contact Cell Phone:_____

E-Mail Address:_____

Section 02
LOUISIANA UNIFORM PUBLIC WORK BID FORM

TO: **St. John the Baptist Parish**
1811 W. Airline Highway
LaPlace, LA 70068

BID FOR: **Culverts and Drainage Improvements Project**
Bid No.: 2026.23

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: Digital Engineering & Imaging, Inc. and dated: October 21, 2026.

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following **ADDENDA:** (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) _____

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" * but not alternates) the sum of:

_____Dollars ($_____)

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:

_N/A_____Dollars ($_____)

Alternate No. 2 *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:

_N/A_____Dollars ($_____)

Alternate No. 3 *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:

_N/A_____Dollars ($_____)

NAME OF BIDDER: _____
ADDRESS OF BIDDER:_____
LOUISIANA CONTRACTOR'S LICENSE NUMBER: _____
NAME OF AUTHORIZED SIGNATORY OF BIDDER: _____
TITLE OF AUTHORIZED SIGNATORY OF BIDDER: _____
SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **:_____
DATE: _____

THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** **A CORPORATE RESOLUTION OR WRITTEN EVIDENCE** of the authority of the person signing the bid for the public Work as prescribed by LA R.S. 38:2212(B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA RS 38:2218.(A) attached to and made a part of this bid.

Section 02
LOUISIANA UNIFORM PUBLIC WORK BID FORM

UNIT PRICE FORM

TO: **St. John the Baptist Parish**
1811 W. Airline Highway
LaPlace, LA 70068

BID FOR: **Culverts and Drainage Improvements Project**
Bid No.: 2026.23

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 18" Ribbed Polyvinyl Chloride Pipe (RPVCP)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
1	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 24" Ribbed Polyvinyl Chloride Pipe (RPVCP)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
2	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 30" Ribbed Polyvinyl Chloride Pipe (RPVCP)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
3	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 36" Ribbed Polyvinyl Chloride Pipe (RPVCP)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
4	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 18" Corrugated Polyethylene Pipe Dual Wall (CPEPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
5	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 24" Corrugated Polyethylene Pipe Dual Wall (CPEPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
6	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 30" Corrugated Polyethylene Pipe Dual Wall (CPEPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
7	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 36" Corrugated Polyethylene Pipe Dual Wall (CPEPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
8	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 42" Corrugated Polyethylene Pipe Dual Wall (CPEPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
9	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 48" Corrugated Polyethylene Pipe Dual Wall (CPEPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
10	100	LF		

Section 02
LOUISIANA UNIFORM PUBLIC WORK BID FORM

UNIT PRICE FORM

TO: **St. John the Baptist Parish**
1811 W. Airline Highway
LaPlace, LA 70068

BID FOR: **Culverts and Drainage Improvements Project**
Bid No.: 2026.23

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 15" Reinforced Concrete Pipe (RCP)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
11	100	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 18" Reinforced Concrete Pipe (RCP)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
12	100	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 24" Reinforced Concrete Pipe (RCP)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
13	100	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 30" Reinforced Concrete Pipe (RCP)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
14	100	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 36" Reinforced Concrete Pipe (RCP)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
15	100	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 42" Reinforced Concrete Pipe (RCP)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
16	100	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 18" Reinforced Concrete Arch Pipe (RCPA)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
17	100	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 24" Reinforced Concrete Arch Pipe (RCPA)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
18	100	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 30" Reinforced Concrete Arch Pipe (RCPA)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
19	100	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 36" Reinforced Concrete Arch Pipe (RCPA)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
20	100	LF		

Section 02
LOUISIANA UNIFORM PUBLIC WORK BID FORM

UNIT PRICE FORM

TO: St. John the Baptist Parish
1811 W. Airline Highway
LaPlace, LA 70068

BID FOR: Culverts and Drainage Improvements Project
Bid No.: 2026.23

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 42" Reinforced Concrete Arch Pipe (RCPA)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
21	100	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 15" Corrugated Polypropylene Pipe Double Wall (CPPPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
22	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 18" Corrugated Polypropylene Pipe Double Wall (CPPPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
23	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 24" Corrugated Polypropylene Pipe Double Wall (CPPPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
24	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 30" Corrugated Polypropylene Pipe Double Wall (CPPPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
25	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Furnish and Install 36" Corrugated Polypropylene Pipe Double Wall (CPPPDW)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
26	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **18" Tee Riser and Grate**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
27	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Concrete Catch Basin Double Combination Type (CB-08)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
28	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Drainage Manhole (MH-06)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
29	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Catch Basin (CB-04)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
30	20	EA		

Section 02
LOUISIANA UNIFORM PUBLIC WORK BID FORM

UNIT PRICE FORM

TO: **St. John the Baptist Parish**
1811 W. Airline Highway
LaPlace, LA 70068

BID FOR: **Culverts and Drainage Improvements Project**
Bid No.: 2026.23

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Square Drop Inlet (Max. Wall Width – Up to 5.0')**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
31	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Square Drop Inlet (Max. Wall Width – 5.1' to 6.0')**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
32	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Square Drop Inlet (Max. Wall Width – 6.1' to 7.0')**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
33	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Square Drop Inlet (Max. Wall Width – 7.1' to 8.0')**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
34	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Square Drop Inlet (Max. Wall Width – 8.1' to 9.0')**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
35	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Rectangular Drop Inlet (Max. Wall Width – Up to 5.0')**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
36	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Rectangular Drop Inlet (Max. Wall Width – 5.1' to 6.0')**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
37	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Rectangular Drop Inlet (Max. Wall Width – 6.1' to 7.0')**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
38	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Rectangular Drop Inlet (Max. Wall Width – 7.1' to 8.0')**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
39	20	EA		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Rectangular Drop Inlet (Max. Wall Width – 8.1' to 9.0')**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
40	20	EA		

Section 02
LOUISIANA UNIFORM PUBLIC WORK BID FORM

UNIT PRICE FORM

TO: **St. John the Baptist Parish**
1811 W. Airline Highway
LaPlace, LA 70068

BID FOR: **Culverts and Drainage Improvements Project**
Bid No.: 2026.23

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Ditch Cleaning / Reshaping 0-2' Depth Ditch – 3' Top Width**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
41	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Ditch Cleaning / Reshaping 2-4' Depth Ditch – 4' Top Width**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
42	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Ditch Cleaning / Reshaping 4-6' Depth Ditch – 6' to 9' Top Width**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
43	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Ditch Cleaning / Reshaping 6-8' Depth Ditch – 8' to 10' Top Width**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
44	1000	LF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Saw Cut Asphalt Concrete Pavement**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
45	100	INLF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Saw Cut Portland Cement Concrete Pavement**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
46	100	INLF		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Removal of Portland Cement Concrete Pavement (Variable Thickness)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
47	100	SQYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Removal of Asphalt Pavement (Variable Thickness)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
48	100	SQYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Fiber Reinforced Portland Cement Concrete Pavement (6" Thick)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
49	100	SQYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Fiber Reinforced Portland Cement Concrete Pavement (8" Thick)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
50	100	SQYD		

Section 02
LOUISIANA UNIFORM PUBLIC WORK BID FORM

UNIT PRICE FORM

TO: **St. John the Baptist Parish**
1811 W. Airline Highway
LaPlace, LA 70068

BID FOR: **Culverts and Drainage Improvements Project**
Bid No.: 2026.23

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **2" Asphalt Paving**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
51	100	SQYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **4" Asphalt Paving**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
52	100	SQYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **6" Asphalt Paving**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
53	100	SQYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Concrete Sidewalk (4" Thick)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
54	100	SQYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Driveway (Asphalt) (3" Thick)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
55	100	SQYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Driveway (Concrete) (6" Thick)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
56	100	SQYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Driveway (Aggregate) (6" Thick)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
57	100	CUYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Granular Material (Vehicular Measurement)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
58	100	CUYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Class II Base Course**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
59	100	CUYD		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Site Mobilization / Demobilization**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
60	1	EA		

Section 02
LOUISIANA UNIFORM PUBLIC WORK BID FORM

UNIT PRICE FORM

TO: **St. John the Baptist Parish**
1811 W. Airline Highway
LaPlace, LA 70068

BID FOR: **Culverts and Drainage Improvements Project**
Bid No.: 2026.23

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Contract Mobilization**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
61	1	LUMP		

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Unforeseen Work (THIS IS NOT TO BE PRICED) (This item shall not be included in the Total Bid Price)**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
62	1	LUMP	$0.00	$0.00

DESCRIPTION:	☑ Base Bid or ☐ Alt.# ___ **Testing Laboratory Services**			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION *(Quantity times Unit Price)*
63	1	LUMP	$25,000.00	$25,000.00

Wording for "DESCRIPTION" is to be provided by the Owner
All quantities are estimated. The contractor will be paid upon actual quantities as verified by Owner.

Section 03

BID BOND

KNOW ALL MEN BY THESE PRESENTS, that we, the undersigned, _____

as PRINCIPAL, and _____ as SURETY, are hereby held and firmly bound unto **St. John the Baptist Parish** as OWNER in the penal sum of _____ for the payment of which, well and truly to be made, we hereby jointly and severally bind ourselves, successors and assigns. Signed, this _____ day of _____ _____,20_____.

The condition of the above obligation is such that whereas the PRINCIPAL has submitted to **St. John the Baptist Parish** a certain BID, attached hereto and hereby made a part hereof to enter into a CONTRACT in writing, for **Culverts and Drainage Improvements Project.**

NOW, THEREFORE,

(a) If said BID shall be rejected, or

(b) If said BID shall be accepted and the PRINCIPAL shall execute and deliver a CONTRACT in the FORM OF CONTRACT attachment hereto properly completed in accordance with said BID and shall furnish a BOND for faithful performance of said CONTRACT, and for the payment of all persons performing labor and furnishing materials in connection therewith, and shall in all other respects perform the AGREEMENT created by the acceptance of said BID.

Then this obligation shall be void, otherwise the same shall remain in force and effect; it being expressly understood and agreed that the liability of the SURETY for any and all claims hereunder shall, in no event, exceed the penal amount of this obligation as herein stated.

The SURETY, for value received, hereby stipulates and agrees that the obligations of said SURETY and its BOND shall be in no way impaired or affected by any extension of the time within which the OWNER may accept such BID; and said SURETY does hereby waive notice of any such extension.

IN WITNESS WHEREOF, the PRINCIPAL and the SURETY have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and to be signed by their proper officers, the day and year first set forth above.

_____ _____

Principal Witness

By:_____

_____ _____

Surety Witness

By:_____

IMPORTANT - SURETY companies executing BONDS must appear on the U.S. Treasury Department's most current list (Circular 570 as amended) and be authorized to transact business in the state where the project is located.

Section 03.1

CORPORATE RESOLUTION

(Corporations must use and submit their form)

1. The named signatory is the same individual authorized to sign pursuant to the contract language in the appearance clause.

2. An officer listed on the Corporation's Secretary of State listing has certified the Corporate Resolution.

3. The corporate resolution shall not be more than one year old.

4. The company properly grants authority to a named individual to sign on behalf of the company (authority granted by a corporation is granted through its board of directors).

5. Document shall be submitted with the submittal.

CERTIFICATE OF AUTHORITY

(LLC must use and submit their form)

1. The named signatory is the same individual authorized to sign pursuant to the contract language in the appearance clause.

2. An officer listed on the LLC's Secretary of State listing has certified the Certificate of Authority.

3. The Certificate of Authority shall not be more than one year old.

4. The Certificate of Authority is notarized.

5. The company properly grants authority to a named individual to sign on behalf of the company.

6. Document shall be submitted with the submittal.

Section 03.2

PAST CRIMINAL CONVICTIONS OF BIDDERS ATTESTATION (LA. R.S. 38:2227)

STATE OF LOUISIANA
PARISH OF _____

BEFORE ME, the undersigned Notary Public PERSONALLY CAME AND APPEARED,

I, _____, (Appeared) the owner/authorized representative of

_____
Submitter/ Individual / Legal Entity Name

Appeared, as a Bidder on the herein named Project, does hereby attest that:

A. No sole proprietor or individual partner, incorporator, director, manager, officer, organizer, or member who has a minimum of a ten percent (10%) ownership in the bidding entity named herein, including any silent or dormant owner or manager, has been convicted of, or has entered a plea of guilty or nolo contendere to, any of the following state crimes or equivalent federal crimes:

(a) Public bribery (R.S. 14:118)
(b) Corrupt influencing (R.S. 14:120)
(c) Extortion (R.S. 14:66)
(d) Money laundering (R.S. 14:230)

B. For five years prior to the project bid date, no sole proprietor or individual partner, incorporator, director, manager, officer, organizer, or member who has a minimum of a ten percent (10%) ownership in the bidding entity named herein, including any silent or dormant owner or manager, has been convicted of, or has entered a plea of guilty or nolo contendere to any of the following state crimes or equivalent federal crimes, during the solicitation or execution of a contract or bid awarded pursuant to the provisions of Chapter 10 of Title 38 of the Louisiana Revised Statutes:

(a) Theft (R.S. 14:67)
(b) Identity Theft (R.S. 14:67.16)
(c) Theft of business record (R.S. 14:67.20)
(d) False accounting (R.S. 14:70)
(e) Submitter's misapplication of payments (R.S. 14:202)
(f) Bank fraud (R.S. 14:71.1)
(g) Forgery (R.S. 14:72)
(h) Issuing worthless checks (R.S.14:71)
(i) Malfeasance in office (R.S. 14:134)

_____ _____
Name of Bidder Signature of Authorized Signatory of Bidder

_____ _____
Project Name/Number Title of Authorized Signatory

SUBSCRIBED AND SWORN BEFORE ME ON THIS _____ DAY OF_____, 20_____.

_____
Notary Signature

Printed Notary Name: _____

Notary/Bar Roll Number: _____

My Commission is For/Expires: _____

Section 03.3

ST. JOHN THE BAPTIST PARISH
NON-SOLICITATION AND UNEMPLOYMENT AFFIDAVIT
(Pursuant to La. R.S. 38:2224 and La. R.S. 23:1726(B))

STATE OF _____

PARISH/COUNTY OF_____

Before me, the undersigned authority, came and appeared,

I, _____, the owner/authorized representative of

_____
Company/Individual/Legal Entity Name

who, being first duly sworn, deposed and state that I personally and as an authorized representative of the above identified legal person executes this continuing affidavit stating that neither the above named Submitter nor a person acting on its behalf, either directly or indirectly, employed, paid, nor promised any gift, consideration or commission to any person or legal entity to procure or assist in procuring this public contract, other than persons regularly employed by Submitter whose services were in the regular course of their duties for Submitter in connection with the construction, alteration or demolition of a public building or project.

The above named Submitter, if awarded, continually affirms that no part of the contract price received by Submitter was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the affiant whose services were in the regular course of their duties for Submitter.

The above named Submitter hereby attests and certifies that it does not have any unpaid assessment or penalty levied against it regarding unemployment compensation and currently does and will continue to properly classify each employee.

_____ Signature of Authorized Signatory	SUBSCRIBED AND SWORN BEFORE ME ON THIS _____ DAY OF _____2020.
_____ Printed Name of Signatory	_____ Notary Signature
_____ Title of Authorized Signatory	Printed Notary Name: _____ Notary/Bar Roll Number: _____
_____ Project Name/Number	My Commission is for/expires on: _____

Submitter verifies that Submitter will collect an affidavit in this form from any approved sub-contractor and forward a copy to: Saint John the Baptist Parish, 1811 West Airline Hwy, LaPlace, Louisiana 70068, no later than five business days after contracting with its sub-contractor; however, in no instance shall the affidavit be received after commencement of work by the sub-contractor.

Section 03.4

E-VERIFY AFFIDAVIT

STATE OF LOUISIANA

PARISH OF_____

BEFORE ME, the undersigned Notary Public PERSONALLY CAME AND APPEARED,

I, _____, the owner/authorized representative of

_____

Company/Individual/Legal Entity
Name

who hereby personally and as the authorized representative of the above identified legal person executes this affidavit, as the undersigned Company verification of its current and future compliance with L.S.A. R.S. 38:2212.10, stating affirmatively that it and each individual, firm or corporation associated with it and engaged in the physical performance of services in the State of Louisiana, under a contract with St. John the Baptist Parish has registered with, is participating in, and shall continue to participate in a federal work authorization program designated as such under the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, as amended, which is operated by the United States Department of Homeland Security, known as the "E-Verify" program. The Company hereby verifies the legal status of all existing and new employees in the State of Louisiana by attesting herein that each is a citizen of the United States or legal aliens as defined by now effective immigration laws of the United States of America.

Company shall not assign this Contract or any monies due or to become due hereunder, or subcontract any part of the Work without the prior written consent of St. John the Baptist Parish.

Company verifies that the Company will collect an affidavit in this form from any approved subcontractor and forward a copy to: St. John the Baptist Parish, 1801 West Airline Hwy, LaPlace, Louisiana 70068, no later than five business days of contracting with its subcontractor; however, in no instance shall the affidavit be received after commencement of work by the subcontractor.

_____ _____
Signature of Authorized Signatory Date E-Verify ID Assigned

_____ _____
Printed Name of Signatory E-Verify ID

_____
Title of Authorized Signatory

_____
SUBSCRIBED AND SWORN BEFORE ME ON THIS THE DAY OF_____, 20____

_____
Notary Signature

Printed Notary Name: _____

Notary/Bar Roll Number: _____

My Commission is For/Expires:_____

Section 03.5
CERTIFICATION REGARDING LOBBYING

Certification Regarding

Debarment, Suspension, and Other Responsibility Matters Primary Covered Transactions

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 13 CFR Part 145. The regulations were published as Part VII of the May 26, 1988 *Federal Register* (pages 19160-19211). Copies of the regulations are available from local offices of the U. S. Small Business Administration.

(1) The prospective primary participant certifies to the best of its knowledge and belief that it and its principals:

(a) Are not presently debarred, suspended, proposed for disbarment, declared ineligible, or Voluntarily excluded from covered transactions by any Federal department or agency;

(b) Have not within a three-year period preceding this application been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;

(c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph (1)(b) of this certification; and

(d) Have not within a three-year period preceding this application had one or more public transactions (Federal, State, or local Terminated for cause of default.

(2) Where the Prospective primary participant is unable to certify to any of the statements in this Certification, such prospective primary participant shall attach an explanation to this submittal

Business Name:

_____

Date _____ By_____

Name and Title of Authorized Representative

_____

Signature of Authorized Representative

INSTRUCTIONS FOR CERTIFICATION

1. By signing and submitting this submittal, the prospective primary participant is providing the certification set out below.

2. The inability of a person to provide the certification required below will not necessarily result in denial participation in this covered transaction. The prospective participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the Prospective primary participant to furnish a certification or an explanation shall disqualify such person from participation in this transaction.

3. The certification in this clause is a material representation of fact upon which reliance was placed when the department or agency determined to enter into this transaction. If it is later determined that the prospective primary participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

4. The prospective primary participant shall provide immediate written notice to the department or agency to which this submittal is submitted if at any time the prospective primary participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

5. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal ," "submittal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. You may contact the department or agency to which this submittal is submitted for assistance in obtaining a copy of those regulations (13 CFR Part 145).

6. The prospective primary participant agrees by submitting this submittal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.

7. The prospective primary participant further agrees by submitting this submittal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Covered transaction, provided by the department or agency entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

8. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the ineligibility of its principals. Each participant may, but is not required to check the Non-Procurement List.

9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

10. Except for transactions authorized under paragraph 6 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

SECTION 03.6

EXHIBIT A

INFORMATION FOR BIDDERS

1. The Owner may reject any and all bids for just cause; such actions will be in accordance with Title 38 of the Louisiana Revised Statutes. Any bid may be withdrawn prior to the above scheduled time for the opening of bids or authorized postponement thereof. Any bid received after the time and date specified shall not be considered. No bidder may withdraw a bid within 45 days after the actual date of the opening thereof except as provided by law.

2. Preparation of Bid: Each bid must be submitted on the prescribed form. All blank spaces for bid prices must be filled in, in ink or typewritten, in both words and figures.

3. Subcontractors: The bidder is specifically advised that any person for or other party to whom it is proposed to award a subcontract under this contract must be acceptable to the Owner.

4. Determination of Unit and Extended Prices: In unit price bids, the total amount bid shall be in the sum of the correct extensions of the unit price bid on each item of work multiplied by the approximate quantity of work shown for the respective item. Each extension shall be carried to one hundredth of a dollar, and the last digit in the extension (or cents' place) shall not be rounded off.

5. Erasures: The bid submitted must not contain erasures. Any and all interlineations or other corrections shall be suitably authenticated by affixing in the margin immediately opposite the correction the initials of the person or persons signing the bid.

6. Prices: In the event of a discrepancy between the prices quoted in words and those quoted in figures in the bid, the words shall control. The prices are to include the furnishing of all materials, plant, equipment, tools, and all other facilities, and the performance of all labor and services necessary or proper for the completion of the work except as may be otherwise expressly provided in the contract documents.

7. Qualifications of Bidder: The Owner may make such investigations deemed necessary to determine the ability of the bidder to perform the work, and the bidder shall furnish to the Owner all such information and data for this purpose as the Owner may request. The Owner reserves the right to reject any bid if the evidence submitted by, or investigation of, such bidder fails to satisfy the Owner that such bidder is responsible and is properly qualified to carry out the obligations of the contract and complete the work contemplated therein. Any conditions placed on a submitted bid shall result in rejection of such bid.

8. Bid Security: Each bid must be accompanied by cashier's check or certified check of the bidder, or a bid bond, duly executed by the bidder as principal and having as surety thereon a surety company approved by the Owner, in the amount of 5 percent of the bid made payable to the Owner. Such cashier's checks, certified checks, or bid bonds will be returned to all except the three lowest bidders within three days after the opening of bids, and the remaining cashier's checks, certified checks, or bid bonds will be returned promptly after the Owner and the accepted bidder have executed the contract, or, if no award has been made within 45 days after the date of the opening of bids, upon demand of the bidder at any time thereafter, so long as he has not been notified of the acceptance of his bid.

   Sureties used for obtaining bonds must appear as acceptable on the U.S. Department of the Treasury Circular 570.

9. Liquidated Damages for Failure to Enter into Contract: The successful bidder, upon his failure or refusal to execute and deliver the contract and bonds within 10 days after he receives notice of the of his bid, shall forfeit to the Owner, as liquidated damages for such failure or refusal, the security deposited with his bid.

10. Time of Completion: The Contract Time will begin on the date of the full contract execution (by both parties) and will end on December 31, 2027. Upon written mutual agreement between the Parish Council and the Contractor, the contract may be extended one (1) time for one (1) additional year. The Parish will not honor or consider any price increase, surcharges, or additional costs during the original term or extension.

11. Conditions of Work: Each bidder must inform himself fully of the conditions relating to the construction of the project and the employment of labor thereon. Failure to do so will not relieve a successful bidder of his obligation to furnish all materials and labor necessary to carry out the provisions of his contract. Insofar as possible the contractor, in carrying out the work, must employ such methods or means as will not cause any interruption of or interference with the work of any other contractor.

12. Addenda and Interpretations: No interpretation of the meaning of the plans, specifications or other pre-bid documents will be made to any bidder orally.

    All questions should be directed to Peter Montz, Director of Purchasing, 985-359-1037 or email: p.montz@stjohn-la.gov. Any and all such interpretations and any supplemental instructions will be in the form of written addenda to the specifications which, if issued, will be emailed to all bidders.

    Failure of any bidder to receive any such addendum or interpretation shall not relieve such bidder from any obligation under his bid as submitted. All addenda so issued shall become part of the contract documents.

    QUESTIONS AND COMMENTS MUST BE SUBMITTED NO LATER THAN **10:00 A.M. Local Time on November 12, 2026**.

13. Security for Faithful Performance: Simultaneously with his delivery of the executed contract, the successful bidder shall furnish a surety bond or bonds as security for faithful performance of this contract and for the payment of all persons performing labor on the project under this contract and furnishing materials in connection with this contract. The surety on such bond or bonds shall be a duly authorized surety company satisfactory to the Owner. Only those surety companies currently on the U. S. Department of Treasury Financial Management Services list (Circular 570) of approved bonding companies will be accepted. The agent selling the bond must be currently licensed to do business in Louisiana. This will be verified by the Owner.

    The successful bidder will be required to file a performance bond in the full amount (100-percent) of the contract price for the full period of the contract and a payment bond in the full amount (100-percent) of the contract price for the full period of the contract.

14. Power of Attorney: Attorneys-in-fact who sign bid bonds or contract bonds must file with each bond a certified and effectively dated copy of their power of attorney.

15. Laws and Regulations: The bidder's attention is directed to the fact that all applicable State laws, municipal ordinances and rules and regulations of authorities having jurisdiction over construction of the project shall apply to the contract throughout and will be deemed to be included in the contract the same as written herein in full.

16. Method of Award: The contract, if awarded, will be awarded to the lowest responsive and responsible bidder.

17. Obligation of Bidder: At the time of the opening of bids, each bidder will be presumed to have read and to be thoroughly familiar with the plans and contract documents (including all addenda). The failure or omission of any bidder to examine any form, instrument or document shall in no way relieve any bidder from any obligation with respect to his bid.

18. Hold Harmless: To the fullest extent permitted by law, Company/Consultant shall indemnify, hold harmless, and defend the Parish Council and all of its Agents and Employees, from and against all claims, damages, losses and expenses, including but not limited to attorney's fees, arising out of or resulting from performance of the work, provided that such claim, damage, loss or expense is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the work itself) including loss of use resulting therefrom, but only to the extent caused in whole or in part by negligent acts or omissions of Company.

19. Non-assignability: No Company/Consultant shall assign any interest in this contract by assignment, transfer, or novation, without prior written consent of the Owner. This provision shall not be construed to prohibit the contractor from assigning his bank, trust company, or other financial institution any money due or to become due from approved contracts without such prior written consent. Notice of any such assignment or transfer shall be furnished promptly to the Parish.

20. Exclusions: Pursuant to Louisiana Revised Statute 38:2227, Company must certify that he has not been convicted of or has not entered into a plea of guilty or nolo contendere to public bribery, corrupt influencing, extortion, money laundering or their equivalent Federal crimes. Consultant must further certify that he has not been convicted of or has not entered into a plea of guilty or nolo contendere to theft, identify theft, theft of a business record, false accounting, issuing worthless checks, bank fraud, forgery, contractors' misapplication of payments, malfeasance in office, or their equivalent Federal crimes within the five (5) years prior to submitting the proposal.

21. Disclosure: Company/Consultant must disclose whether it provides services or pays commissions to any employee or elected official of St. John the Baptist Parish. If so, company must disclose to whom services are provided and/or commissions are paid. Both positive and negative responses must be submitted.

22. E-Verify Program: Pursuant to Louisiana Revised Statute 38:2212.10, contractor must certify that it and each individual, firm or corporation associated with it and engaged in the physical performance of services in the State of Louisiana, under a contract with St. John the Baptist Parish has registered with, is participating in, and shall continue to participate in a federal work authorization program designated as such under the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, as amended, which is operated by the United States Department of Homeland Security, known as the "E-Verify"

program. Contractor must verify the legal status of all existing and new employees in the State of Louisiana by attesting herein that each is a citizen of the United States or legal aliens as defined by now effective immigration laws of the United States of America.

23. Invoices / Applications for Payments:

Applications for Payment will be processed by St. John the Baptist Parish.

Itemized invoices for payment of these services shall be submitted to the Purchasing and Procurement Director for approval prior to routing to Accounts Payable. Construction invoices shall be submitted using the AIA Application and Certification for Payment AIA G702 and G703 forms unless otherwise determined.

St. John the Baptist Parish shall make progress payments on account of the Contract Price on the basis of CONTRACTOR's Applications for Payment as recommended by the Owner, as provided below. All such payments will be measured by the schedule of values established.

~~Retainage:~~

~~1. Retainage shall be withheld, and payments will be made less the retainage by the Owner with the following retainage amounts.~~
   ~~a. Ten percent (10%) shall be retained on all partial pay estimates for projects with a contract price of $500,000.00 or less; or~~
   ~~b. Five percent (5%) shall be retained on all partial pay estimates for projects with a contract price of $500,000.01 or greater~~
~~2. The normal retainage shall not be due to the Contractor until after Substantial Completion and expiration of the forty-five (45) day lien period and submission to the Engineer of a clear lien certificate and invoice for retainage.~~

Refer to the Contract Documents and provisions under in the General Conditions Article 6 titled "Contractor's Responsibilities" and Article 14 titled "Payments to Contractor and Completion", in addition to any other pertinent provision of the General Conditions, for the requirements associated with the approval of work and completion of all corrective work to the satisfaction of the ENGINEER, submittal and processing of Applications for Payment, and procedures for progress payments and release of final payment, inclusive of CONTRACTOR required deliverables.

24. Insurance: Bidder shall obtain, pay for, and keep in force, at its own expense, minimum insurance effective in all localities where Consultant/Company may perform the work hereunder, with such carriers as shall be acceptable to Council.

Section 04

AGREEMENT

THIS AGREEMENT, made this_day of _____, by and between **St. John the Baptist Parish, LA** herein called "Owner," acting herein through its Parish President, Jaclyn Hotard, and_____ _____, herein after called "Contractor."

WITNESSETH: That for and in consideration of the payments and agreements hereinafter mentioned, to be made and performed by the OWNER, the CONTRACTOR hereby agrees with the OWNER to commence and complete the construction described as follows:

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

The Scope of the contract work is to provide means to perform drainage and culverts improvements in the Parish on an as-needed basis. Payment for work performed shall be on a unit price basis. No minimum expenditure is guaranteed under this agreement.

The Contractor shall complete all work on an as-needed basis from task orders issued by the Engineer and all work in connection therewith for each task order, under the terms as stated in the specifications at his/her (its/their) own proper cost and expense to furnish all the materials, supplies, machinery, equipment, tools, superintendence, labor, insurance, and other accessories and services necessary to complete the said task orders in accordance with the specifications and contract documents.

The Contract Time of this Agreement shall be from the date of execution referenced in paragraph one of this Agreement until the end date of December 31, 2027. This Agreement has a one-year renewal option without price escalation.

The Contractor hereby agrees to perform work under this contract in accordance with the Federal requirements listed within the specifications.

For any portions of the work funded through a FEMA grant, the Contractor hereby agrees to perform those portions of the work under this contract in accordance with the contract terms for FEMA Public Assistance Grant Funded or Assisted Projects for a non-federal entity (State agency or agency of a political subdivision of the State), which is attached as part of this agreement.

The OWNER will pay to the CONTRACTOR, in the amount and at such times as set forth in the GENERAL CONDITIONS, such amounts as required by the CONTRACT DOCUMENTS.

Contractor's performance of its obligations hereunder shall be excused in the event and during the period that such performance is prevented or rendered unsafe by the following: acts of God; acts of war, riot, accident, flood or sabotage; pandemic, unavailability of fuel or power or materials; judicial or governmental laws, regulations, requirements, orders or actions; injunctions or restraining orders which are ultimately determined to have been wrongfully granted; the failure of any governmental body to issue or grant, or the suspension or revocation of, licenses, permits or other approvals or authorizations necessary for the performance of the services contemplated by this agreement; or national defense requirements.

This AGREEMENT shall be binding upon all parties hereto and their respective heirs, executors, administrators, successors, and assigns.

Signatures Follow on the Next Page.

IN WITNESS WHEREOF, the parties hereto have executed or caused to be executed by their duly authorized officials, this AGREEMENT in three (3) copies each of which shall be deemed an original on the date first above written.

OWNER:

St. John the Baptist Parish

ATTEST:

BY _____ BY _____

Signature Signature

Jaclyn Hotard, Parish President

(Printed Name and Title) (Printed Name and Title)

CONTRACTOR:

ATTEST:

BY _____ BY _____

Signature Signature

(Printed Name and Title) (Printed Name and Title)

NOTE: Secretary of the Owner should attest. If Contractor is a corporation, Secretary should attest.

Additional Contract Terms for

FEMA Public Assistance Grant Funded or Assisted Projects for a

Non-Federal Entity (State agency or Agency of a Political Subdivision of a State)

(Updated 6/7/2022)

Termination for Cause

Should the Parish determine that the Contractor has failed to comply with the Agreement's terms, the Parish may terminate the Agreement for cause by giving the Contractor written notice specifying the Contractor's failure. If the Parish determines that the failure is not correctable, then the Agreement shall terminate on the date specified in such notice. If the Parish determines that the failure may be corrected, the Parish shall give a deadline for the Contractor to make the correction. If the Parish determines that the failure is not corrected by the deadline, then the Parish may give additional time for the Contractor to make the corrections or the Parish may notify the Contractor of the Agreement termination date.

Termination for Convenience

Either Party may terminate the Agreement at any time without penalty by giving thirty (30) days written notice to the other Party of such termination or negotiating with the Parties regarding a termination date. Contractor shall be entitled to payment for deliverables in progress, to the extent that the work is acceptable.

Contract Provisions Applicable to Projects Fully or Partially Funded by the FEMA Public Assistance Program (Note: All such terms are also applicable to all appropriate subcontractors):

a. ***Equal Employment Opportunity*** — Except as otherwise provided under 41 CFR Part 60, the Contractor and Subcontractors must comply with 41 CFR 60–1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 CFR 12319, 12935, 3 CFR Part, 1964–1965 Comp., p. 339), as amended by Executive Order 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," and implementing regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor."

During the performance of this contract, the Contractor agrees as follows:

(1) The Contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, gender identity, or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to the following:

Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Contractor agrees to post in conspicuous places, available to

employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.

(2) The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, sexual orientation, gender identity, or national origin.

(3) The Contractor will not discharge or in any other manner discriminate against any employee or applicant for employment because such employee or applicant has inquired about, discussed, or disclosed the compensation of the employee or applicant or another employee or applicant. This provision shall not apply to instances in which an employee who has access to the compensation information of other employees or applicants as a part of such employee's essential job functions discloses the compensation of such other employees or applicants to individuals who do not otherwise have access to such information, unless such disclosure is in response to a formal complaint or charge, in furtherance of an investigation, proceeding, hearing, or action, including an investigation conducted by the employer, or is consistent with the Contractor's legal duty to furnish information.

(4) The Contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representatives of the Contractor's commitments under this section and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

(5) The Contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, as amended, and of the rules, regulations, and relevant orders of the Secretary of Labor.

(6) The Contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.

(7) In the event of the Contractor's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for further Government contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

(8) The Contractor will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (8) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be

binding upon each subcontractor or vendor. The Contractor will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance:

Provided, however, that in the event a Contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the administering agency, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

b. Contract Work Hours and Safety Standards Act (40 U.S.C. 3701-3708) Where applicable, all contracts and subcontracts in excess of $100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 C.F.R. Part 5).

Compliance with the Contract Work Hours and Safety Standards Act:

(1) Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.

(2) Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph (b)(1) of this section the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (b)(1) of this section, in the sum of $26 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (b)(1) of this section.

(3) Withholding for unpaid wages and liquidated damages. FEMA or the State shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (b)(2) of this section.

(4) Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (b)(1) through (4) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible

for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (b)(1) through (4) of this section.

c. Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act (33 U.S.C. 1251-1387), as amended

If the Contract and Subcontracts are in excess of $150,000, the Contractor and Subcontractors shall comply with all applicable standards, orders, or regulations issued pursuant to the Clean Air Act (42U.S.C. 7401-7671) and the Federal Water Pollution Control Act as amended (33U.S.C. 1251-1387). Violations shall be reported to Owner and the Federal awarding agency and the Regional Office of the Environmental Protection Agency ("EPA").

Clean Air Act

1. The contractor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq.

2. The contractor agrees to report each violation to the Parish and understands and agrees that the Parish will, in turn, report each violation as required to assure notification to the Federal Emergency Management Agency, and the appropriate Environmental Protection Agency Regional Office.

3. The contractor agrees to include these requirements in each subcontract exceeding $150,000 financed in whole or in part with Federal assistance provided by FEMA.

Federal Water Pollution Control Act

1. The Contractor agrees to comply with all applicable standards, orders, or regulations issued pursuant to the Federal Water Pollution Control Act, as amended, 33 U.S.C. 1251 et seq.

2. The Contractor agrees to report each violation to the Parish and understands and agrees that the Parish will, in turn, report each violation as required to assure notification to the Federal Emergency Management Agency, and the appropriate Environmental Protection Agency Regional Office.

3. The Contractor agrees to include these requirements in each subcontract exceeding $150,000 financed in whole or in part with Federal assistance provided by FEMA.

d. Debarment and Suspension (Executive Orders 12549 and 12689)

A contract award (see 2 C.F.R. § 180.220) shall not be made to parties listed on the government-wide exclusions in the System for Award Management ("SAM"), in accordance with the OMB guidelines at 2 C.F.R Part 180 that implement Executive Orders 12549 (3 C.F.R. part 1986 Comp., p. 189) and 12689 (3 C.F.R. part 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.

(1) This contract is a covered transaction for purposes of 2 C.F.R. pt. 180 and 2 C.F.R. pt. 3000. As such, the contractor is required to verify that none of the contractor's principals (defined at 2 C.F.R. § 180.995) or its affiliates (defined at 2 C.F.R. § 180.905) are excluded (defined at 2 C.F.R. § 180.940) or disqualified (defined at 2 C.F.R. § 180.935).

(2) The Contractor must comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, and must include a requirement to comply with these regulations in any lower tier covered transaction it enters into.

(3) This certification is a material representation of fact relied upon by the Parish. If it is later determined that the contractor did not comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, in addition to remedies available to the Parish, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment.

(4) The bidder or proposer agrees to comply with the requirements of 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C while this offer is valid and throughout the period of any contract that may arise from this offer. The bidder or proposer further agrees to include a provision requiring such compliance in its lower tier covered transactions.

e. Byrd Anti-Lobbying Amendment (31 U.S.C. 1352)

Contractors who apply or bid for an award of $100,000 or more shall file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, officer or employee of Congress, or an employee of a Member of Congress in connection with obtaining any Federal contract, grant, or any other award covered by 31 U.S.C. § 1352. Each tier shall also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the recipient who in turn will forward the certification(s) to the awarding agency.

Contractor must complete attached Certification.

f. Procurement of Recovered Materials

i. In the performance of this contract, the Contractor shall make maximum use of products containing recovered materials that are EPA-designated items unless the product cannot be acquired—
   a) Competitively within a timeframe providing for compliance with the contract performance schedule;
   b) Meeting contract performance requirements; or
   c) At a reasonable price.

ii. Information about this requirement, along with the list of EPA- designated items, is available at EPA's Comprehensive Procurement Guidelines web site, https://www.epa.gov/smm/comprehensive- procurement-guideline-cpg- program.

iii. The Contractor also agrees to comply with all other applicable requirements of

Section 6002 of the Solid Waste Disposal Act."

g. Access to Records

The following access to records requirements apply to this contract:

(1) The Contractor agrees to provide the State, Parish, the FEMA Administrator, the Comptroller General of the United States, or any of their authorized representatives access to any books, documents, papers, and records of the Contractor which are directly pertinent to this contract for the purposes of making audits, examinations, excerpts, and transcriptions.

(2) The Contractor agrees to permit any of the foregoing parties to reproduce by any means whatsoever or to copy excerpts and transcriptions as reasonably needed.

(3) The Contractor agrees to provide the FEMA Administrator or his authorized representatives access to construction or other work sites pertaining to the work being completed under the contract.

(4) In compliance with the Disaster Recovery Act of 2018, the Parish and the Contractor acknowledge and agree that no language in this contract is intended to prohibit audits or internal reviews by the FEMA Administrator or the Comptroller General of the United States.

h. DHS Seal, Logo, and Flags

The contractor or its subcontractors shall not use the DHS seal(s), logos, crests, or reproductions of flags or likenesses of DHS agency officials without specific FEMA pre-approval.

i. Compliance with Federal Law, Regulations, and Executive Orders

This is an acknowledgement that FEMA financial assistance will be used to fund all or a portion of the contract. The contractor will comply with all applicable Federal law, regulations, executive orders, FEMA policies, procedures, and directives.

j. No Obligation by Federal Government

The Federal Government is not a party to this contract and is not subject to any obligations or liabilities to the non-Federal entity, contractor, or any other party pertaining to any matter resulting from the contract.

k. Program Fraud and False or Fraudulent Statements or Related Acts

The Contractor acknowledges that 31 U.S.C. Chap. 38 (Administrative Remedies for False Claims and Statements) applies to the Contractor's actions pertaining to this contract.

l. §200.322 Domestic preferences for procurements.

(a) As appropriate and to the extent consistent with law, the non-Federal entity should, to the greatest extent practicable under a Federal award, provide a preference for the purchase, acquisition, or use of goods, products, or materials produced in the United States (including but not limited to iron, aluminum, steel, cement, and other manufactured products). The requirements of this section must be included in all subawards including all

contracts and purchase orders for work or products under this award.

(b) For purposes of this section:

(1) "Produced in the United States" means, for iron and steel products, that all manufacturing processes, from the initial melting stage through the application of coatings, occurred in the United States.

(2) "Manufactured products" means items and construction materials composed in whole or in part of non-ferrous metals such as aluminum; plastics and polymer-based products such as polyvinyl chloride pipe; aggregates such as concrete; glass, including optical fiber; and lumber.

m. **Affirmative Socioeconomic Steps.**

If subcontracts are to be let, the prime contractor is required to take all necessary steps identified in 2 C.F.R. § 200.321(b)(1)-(5) to ensure that small and minority businesses, women's business enterprises, and labor surplus area firms are used when possible.

n. License and Delivery of Works Subject to Copyright and Data Rights.

The Contractor grants to the Parish, a paid-up, royalty-free, nonexclusive, irrevocable, worldwide license in data first produced in the performance of this contract to reproduce, publish, or otherwise use, including prepare derivative works, distribute copies to the public, and perform publicly and display publicly such data. For data required by the contract but not first produced in the performance of this contract, the Contractor will identify 75 See 17 U.S.C. § 102. Contract Provisions Guide 35 such data and grant to the Parish or acquires on its behalf a license of the same scope as for data first produced in the performance of this contract. Data, as used herein, shall include any work subject to copyright under 17 U.S.C. § 102, for example, any written reports or literary works, software and/or source code, music, choreography, pictures or images, graphics, sculptures, videos, motion pictures or other audiovisual works, sound and/or video recordings, and architectural works. Upon or before the completion of this contract, the Contractor will deliver to the Parish data first produced in the performance of this contract and data required by the contract but not first produced in the performance of this contract in formats acceptable by the Parish.

o. **200.216 Prohibition on certain telecommunications and video surveillance services or equipment.**

(a) Recipients and sub recipients are prohibited from obligating or expending loan or grant funds to:

1) Procure or obtain;
2) Extend or renew a contract to procure or obtain; or
3) Enter into a contract (or extend or renew a contract) to procure or obtain equipment, services, or systems that uses covered telecommunications equipment or services as a substantial or essential component of any system, or as critical technology as part of any system. As described in Public Law 115-232, section 889, covered

telecommunications equipment is telecommunications equipment produced by Huawei Technologies Company or ZTE Corporation (or any subsidiary or affiliate of such entities).

i. For the purpose of public safety, security of government facilities, physical security surveillance of critical infrastructure, and other national security purposes, video surveillance and telecommunications equipment produced by Hytera Communications Corporation, Hangzhou Hikvision Digital Technology Company, or Dahua Technology Company (or any subsidiary or affiliate of such entities).

ii. Telecommunications or video surveillance services provided by such entities or using such equipment.

iii. Telecommunications or video surveillance equipment or services produced or provided by an entity that the Secretary of Defense, in consultation with the Director of the National Intelligence or the Director of the Federal Bureau of Investigation, reasonably believes to be an entity owned or controlled by, or otherwise connected to, the government of a covered foreign country.

(b) In implementing the prohibition under Public Law 115-232, section 889, subsection (f), paragraph (1), heads of executive agencies administering loan, grant, or subsidy programs shall prioritize available funding and technical support to assist affected businesses, institutions and organizations as is reasonably necessary for those affected entities to transition from covered communications equipment and services, to procure replacement equipment and services, and to ensure that communications service to users and customers is sustained.

(c) See Public Law 115-232, section 889 for additional information.

(d) See also § 200.471.

p. **Copyright and Data Rights**

The Contractor grants to the Parish, a paid-up, royalty-free, nonexclusive, irrevocable, worldwide license in data first produced in the performance of this contract to reproduce, publish, or otherwise use, including prepare derivative works, distribute copies to the public, and perform publicly and display publicly such data. For data required by the contract but not first produced in the performance of this contract, the Contractor will identify such data and grant to the Parish or acquires on its behalf a license of the same scope as for data first produced in the performance of this contract. Data, as used herein, shall include any work subject to copyright under 17 U.S.C. § 102, for example, any written reports or literary works, software and/or source code, music, choreography, pictures or images, graphics, sculptures, videos, motion pictures or other audiovisual works, sound and/or video recordings, and architectural works. Upon or before the completion of this contract, the Contractor will deliver to the Parish data first produced in the performance of this contract and data required by the contract but not first produced in the performance of this contract in formats acceptable by the Parish.

Section 4.1
PAYMENT BOND

KNOW ALL PERSONS BY THESE PRESENTS: that

_____
(Name of Contractor)

_____
(Address of Contractor)

a _____
(Corporation, Partnership, or Individual)

hereinafter called PRINCIPAL and _____
(Name of Surety)

_____
(Address of Surety)

hereinafter called SURETY, are held and firmly bound unto:

St. John the Baptist Parish
(Name of Owner)

1811 W. Airline Hwy, LaPlace, LA 70068
(Address of Owner)

hereinafter called OWNER and unto all persons, firms, and corporations who or which may furnish labor, or who furnish materials to perform as described under the CONTRACT and to their successors and assigns in the total aggregate penal sum of _____ **($_____)** in lawful money of the United States, for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION is such that WHEREAS, the PRINCIPAL entered into a certain CONTRACT with the OWNER, dated the _____ day of _____, 20____, a copy of which is hereto attached and made a part hereof for the construction of:

Culverts and Drainage Improvements Project

NOW, THEREFORE, if the PRINCIPAL shall promptly make payment to all persons, firms, and corporations furnishing materials for or performing labor in the prosecution of the WORK provided for in such CONTRACT and any authorized extensions or modification thereof, including all amounts due for materials, equipment and tools, consumed or used in connection with the construction of such WORK, and for all labor cost incurred in such WORK including that by a SUBCONTRACTOR, and to any mechanic or materialman lienholder whether it acquires its lien by operation of State or Federal law; then this obligation shall be void, otherwise to remain in full force and effect.

PROVIDED, that in all respects this Bond shall be a statutory bond pursuant to LSA-R.S. 38:2241.

PROVIDED, FURTHER, that the said SURETY for value received hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the CONTRACT or to the WORK to be performed thereunder or the SPECIFICATIONS accompanying the same shall in any way affect its obligation on this BOND, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of this CONTRACT or to the WORK or to the SPECIFICATIONS.

PROVIDED, FURTHER, that it is expressly agreed that this BOND shall be deemed amended automatically and immediately, without formal and separate amendments hereto, upon amendment to the CONTRACT increasing the CONTRACT PRICE, so as to bind the PRINCIPAL and SURETY to the full and faithful performance of the CONTRACT as so amended. The term "Amendment", wherever used in this BOND and whether referring to this BOND, the CONTRACT or the loan documents shall include any alteration, addition, extension or modification of any character whatsoever. PROVIDED FURTHER, that no final settlement between the OWNER and the CONTRACTOR shall abridge the right of any beneficiary hereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrument is executed in three (3) counterparts, each of which shall be deemed an original, this being the _____ day of _____, 20_____.

ATTEST:

_____
(Principal)

_____
(Principal) Secretary

By_____

_____
(Address)

_____
Witness as to Principal

_____
(Address)

_____
Surety

ATTEST:

_____
Witness as to Surety

By_____
Attorney-in-Fact

_____
(Address)

_____
(Address)

NOTE: Date of BOND must not be prior to date of CONTRACT.

If CONTRACTOR is partnership, all partners should execute BOND.

IMPORTANT: Surety companies executing BONDS must appear on the Treasury Department's most current list (Circular 570 as amended) and be authorized to transact business in the state where the PROJECT is located.

Section 04.2
PERFORMANCE BOND

KNOW ALL PERSONS BY THESE PRESENTS: that _____

_____
(Name of Contractor)

_____
(Address of Contractor)

a _____
(Corporation, Partnership, or Individual)

hereinafter called PRINCIPAL and _____
(Name of Surety)

_____
(Address of Surety)

hereinafter called SURETY, are held and firmly bound unto:

St. John the Baptist Parish
(Name of Owner)

1811 W. Airline Hwy, LaPlace, LA 70068
(Address of Owner)

hereinafter called OWNER, in the total aggregate sum of _____ **($)** in lawful money of the United States, for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION is such that whereas, the PRINCIPAL entered into a certain CONTRACT with the OWNER, dated the _____ day of _____, 20__, a copy of which is hereto attached and made a part hereof for the construction of:

Culverts and Drainage Improvements Project

NOW, THEREFORE, if the PRINCIPAL shall well, truly and faithfully perform its duties, all the undertakings, covenants, terms, conditions, and agreements of said CONTRACT during the original term thereof, and any extensions thereof which may be granted by the OWNER, with or without notice to the SURETY and during the warranty periods, express and/or implied, and if the PRINCIPAL shall satisfy all claims and demands incurred under such CONTRACT, and shall fully indemnify and save harmless the OWNER from all costs and damages which it may suffer by reason of failure to do so, and shall reimburse and repay the OWNER all outlay and expense which the OWNER may incur in making good any default, then this obligation shall be void, otherwise to remain in full force and effect.

PROVIDED, FURTHER, that the said SURETY, for value received hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the CONTRACT or to WORK to be performed thereunder or the SPECIFICATIONS accompanying same shall in any way affect its obligation on this BOND, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the CONTRACT or to the WORK or to the SPECIFICATIONS.

PROVIDED, FURTHER, that it is expressly agreed that the BOND shall be deemed amended automatically and immediately, without formal and separate amendments hereto, upon amendment to the CONTRACT increasing the CONTRACT PRICE, so as to bind the PRINCIPAL and the SURETY to the full and faithful performance of the CONTRACT as so amended. The term "Amendment", wherever used in this BOND, and whether referring to this BOND, the CONTRACT or any of the Contract Documents shall include any alteration, addition, extension, or modification of any character whatsoever.

IN WITNESS WHEREOF, this instrument is executed in three (3) counterparts, each of which shall be deemed an original, this being the _____ day of _____, 20_____.

ATTEST:

_____
(Principal)

_____
(Principal) Secretary

By_____

_____
(Address)

_____
Witness as to Principal

_____

_____
(Address)

_____
Surety

ATTEST:

_____
Witness as to Surety

By_____
Attorney-in-Fact

_____
(Address)

_____
(Address)

_____

_____

NOTE: Date of BOND must not be prior to date of CONTRACT.

If CONTRACTOR is partnership, all partners should execute BOND.

IMPORTANT: Surety companies executing BONDS must appear on the Treasury Department's most current list (Circular 570 as amended) and be authorized to transact business in the state where the PROJECT is located.

Section 06

SPECIAL CONTRACT PROVISIONS

PART 1 – SUPPLEMENTARY CONDITIONS

1.01 LOUISIANA LICENSE REQUIREMENTS

The State of Louisiana regulations require that any prospective bidder on construction contracts of $50,000.00 or greater possess the proper Louisiana contractor's license before he will be allowed to acquire copies of bidding documents in accordance with LAR.S.37:2150 et seq. This required license category is **Municipal & Public Works Construction and/or Heavy Construction**.

The successful contractor performing services under the terms of the contract shall, by entering said contract, waive jurisdiction and venue and submit to the jurisdiction of the district courts for St. John the Baptist Parish, regardless of the contractor's residence or domicile.

1.02 FAMILIARIZATION WITH THE WORK

Before submitting his bid, each prospective bidder shall familiarize himself with the work, local labor conditions and all laws, regulations and other factors affecting performance of the work. He shall carefully correlate his observations with the requirements of the contract documents and otherwise satisfy himself of the expense and difficulties for performance of the work. The submission of a bid will constitute a representation of compliance by the bidder. There will be no subsequent financial adjustment for lack of such familiarization.

1.03 PRE-BID CONFERENCE

All prospective bidders are invited to attend the mandatory pre-bid conference which will be held at 11:00 A.M. local time on November 03, 2026 in the St. John the Baptist Parish Government Building at 1811 W. Airline Hwy, LaPlace, LA 70068.

1.04 CONTRACT TIME

The Contract Time will begin on the date of the full contract execution (by both parties) and will end on December 31, 2027. Upon written mutual agreement between the Parish Council and the Contractor, the contract may be extended one (1) time for one (1) additional year. The Parish will not honor or consider any price increase, surcharges, or additional costs during the original term or extension.

1.05 SUBCONTRACTOR QUALIFICATIONS

All bidders wishing to use the services of sub-contractors must submit a list of all subcontractors for approval by the Parish prior to the performance of any work under the terms of this contract. Subcontractor license & certification documentation, and/or past performance experience, for the services to be provided by their personnel shall be provided upon request by the Parish prior to the performance of any work by said subcontractor.

The contractor may complete his bid by utilization of subcontractors; however, no payment will be made by St. John the Baptist Parish to the subcontractor for any work performed under the terms of this contract. The contractor assumes all responsibility for the work performed by his subcontractor(s). Any subcontractor utilized must have prior experience and be properly licensed and certified for the services to be performed for their respective portions of the work. Under the terms of this contract, the combined subcontractor effort shall be limited to a maximum of twenty-five percent (25%) of total work performed, unless otherwise determined. The maximum total percentage of work performed by all subcontractors, however, must remain less than fifty (50%) percent in aggregate. Additionally, all subcontract work shall be governed by all provisions of this contract.

Prior to the award of the contract the contract administrator will notify the bidder if St. John, after due consideration and investigation, has reasonable and substantial objection to any person or organization on the successful contractor's list of proposed subcontractors. The bidder will then be allowed to submit substitute subcontractor/subcontractors acceptable to St. John the Baptist Parish. Subcontractor license & certification documentation, and/or past performance experience, shall be provided upon request by the Parish prior to the performance of any work by said subcontractor.

1.06 WORK ON PRIVATE PROPERTY

The contractor shall be aware that his work will be performed adjacent to private property. The contractor shall avoid use of private property by both personnel, equipment, spoil, etc. unless permission is obtained by property owner. The contractor shall notify by door tags, prior to the start of work in the area, all property owners adjacent to and along the route of construction. The door tag shall include names and telephone numbers for key personnel so that property owners can report problems. These contact telephone numbers shall be given so that appropriate personnel can be contacted 24 hours a day, seven (7) days a week.

1.07 NOTIFICATION OF WORK INTENDED- NOT USED

1.08 SITE CONDITION SURVEY

The contractor shall conduct a thorough site condition survey of the entire job route. This survey should be adequate as to ascertain pre-construction/repair and post-construction/repair conditions of all public and private property within and adjacent to the construction/repair limits. Sufficient videos shall be provided by the contractor and submitted to the Parish to resolve any damage claims which may arise due to the construction/repair of this project. Lack of pre-repair videos could result in claims having to be paid totally by the contractor. All costs associated with this survey shall be paid by the contractor. All pre-construction videos and construction photos shall be in accordance with Sections 01050 and 01380.

1.9 QUALIFICATIONS OF BIDDERS

Bidders must have a practical knowledge of the particular work and shall have all labor and equipment necessary to satisfactorily complete the work orders and available personnel who possess the required licenses and other certifications.

1.10 COMMENCEMENT OF WORK


The Contractor will begin actual work on the project after the issuance of a task order by St. John the Baptist Parish. This contract is for culverts and drainage improvements, therefore task orders will be issued on an as-needed basis. There is no guarantee on the timeframe of the first task order being issued, or the amount of task orders to be issued.

1.11 INVOICES

Invoices must be submitted for payment and the invoice shall reflect all work that is 100% completed. There will be no payment or partial payment for work in progress. All invoices submitted for payment must have a description of all work performed as directed by Parish issued task orders as well as all restoration work complete submitted with all “original" paperwork attached i.e., associated task orders and monthly schedule notifications. The contractor shall provide draft invoices for completed work orders and directives to the Parish for review and approval. Construction invoices shall be submitted using the AIA Application and Certification for Payment AIA G702 and AIAG703 forms unless otherwise determined. These invoices are to be completed by the prime contractor and approved by the Parish for payment. Invoices shall be provided on a monthly basis at a minimum or as otherwise agreed upon. Invoices shall reflect all the work numbers associated with work being billed.

NOTE:


1. ALL LABOR, EQUIPMENT AND MATERIAL NECESSARY TO TIE REQUIRED STORM DRAIN LATERAL TO REQUIRED RCPA TO BE INCLUDED IN AND PAID FOR UNDER ITEM FOR "TIE-IN DRAIN PIPE TO RCPA" PER EACH.



STANDARD TIE-IN TO RCPA

SCALE: N.T.S.


(TO BE USED ONLY WITH PARISH WRITTEN APPROVAL)



* IF LESS THAN 6'-6", RELAY TRANSVERSE JOINTS SO THAT ONE OF THE PAVEMENT EXPANSION JOINTS WILL COINCIDE WITH THE BOXED OUT CATCH BASIN EXPANSION JOINT. (SEE DETAIL "A" BELOW)

DETAIL FOR BOXING CATCH BASIN (TYPES 2 & 3)

SCALE: N.T.S.



DETAIL "A"

SCALE: N.T.S.

(USE THIS DETAIL WHEN THE DISTANCE BETWEEN CENTERLINE OF CATCH BASIN AND THE NEAREST TRANSVERSE JOINT)

NOTE:
ALL GREY IRON CASTINGS FOR MANHOLES, AND CATCH BASINS OF ALL TYPES SHALL CONFIRM TO THE REQUIREMENTS OF A.S.T.M. A-48, CLASS 30. AND SHALL BE FURNISHED WITHOUT PAINT (AASHTO#306-891)

CANAL DISCHARGE PIPE CHART(C.S.P.)

RCPA (NOM. DIA)	WALL THICKNESS	RCP O.D.	REQ'D C.S.P. ID	GAGE REQ'D
12"	2.00"	16.0"	16.5"	Δ 14
15"	2.25"	19.5"	20.0"	Δ 12
18"	2.50"	23.0"	23.5"	Δ 12
21"	2.75"	26.5"	27.0"	Δ 12
24"	3.00"	30.0"	30.5"	Δ 12
27"	3.25"	33.5"	34.0"	Δ 12
30"	3.50"	37.0"	37.5"	Δ 12
36"	4.00"	44.0"	44.5"	Δ 12
42"	4.50"	51.0"	51.5"	Δ 12
48"	5.00"	58.0"	58.5"	Δ 12
54"	5.50"	65.0"	65.5"	* 12
60"	6.00"	72.0"	72.5"	* 12
66"	6.50"	79.0"	79.5"	* 12
72"	7.00"	86.0"	86.5"	* 12
78"	7.50"	93.0"	93.5"	* 12
84"	8.00"	100.0"	100.5"	* 12
90"	8.50"	107.0"	107.5"	* 12
96"	9.00"	114.0"	114.5"	* 12

Δ 2 2/3" X 1 1/2" CORRUGATION REQUIRED.
* 3" X 1" CORRUGATION REQUIRED.

SHEET NUMBER: STJ-01

PARISH	CONTROL SECTION	STATE
ST. JOHN THE BAPTIST	-	LOUISIANA

DESIGN	PES	DETAIL	DRW	DATE	OCTOBER 2026
CHECK	RJD	CHECK	RJD	SERIES	


NO.	DATE	REVISION OR CHANGE ORDER DESCRIPTION	BY

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

TYPICAL DRAINAGE DETAILS

digital engineering
DIGITAL ENGINEERING & SURVEYING, INC.
631 N. ESPLANADE AVE., STE. 200
KENNER, LA. 70065 - (504) 464-5225

DWG PATH: S:\#ST.JOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\FY26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: STJ(D)-01 LAYOUT TAB: STJ-01 DATE of PLOT: Tuesday, October 27, 2026 @ 8:41am



NOTES:


1. CULVERT SIZE SHOWN PERTAIN TO B & S PIPE. (UNLESS OTHERWISE SPECIFIED).
2. CONCRETE STRENGTH TO BE 3,000 PSI (MINIMUM) AT 28 DAYS.
3. DIMENSIONS FOR BOTTOM SLAB AS PER DIMENSIONS FOR WALLS 'A' AND 'B'.
4. WHEN BOX IS 7'- 0" OR LESS IN HEIGHT, WALLS TO BE 8" THICK. WHEN BOX HEIGHT IS GREATER THAN 7'- 0" BUT LESS 12'- 0". SEE DETAIL 'A'.
5. WIDTH OF SHELL BEDDING SHALL BE AS PER DIMENSIONS SHOWN FOR WALLS 'A' AND 'B' PLUS 2'- 0".
6. ALL MASONARY TO BE LAID WITH RUNNING BOND AND HEADER COURSE (EVERY FOURTH LAYER).
7. ALL WALLS TO BE PLASTERED INSIDE AND OUTSIDE (1/2" MIN. THICKNESS).
8. ALL GRATES AND FRAMES SHALL BE EAST JORDAN, US FOUNDRY, BARRYCRAFT, NEENAH OR APPROVED EQUAL. ALL GRATES AND FRAMES SHALL BE CAST IRON TYPE AND WITHOUT PAINT.

⚠ NOTE:
ALL GREY CASTINGS FOR MANHOLES, AND CATCH BASINS OF ALL TYPES SHALL CONFORM TO THE REQUIRMENTS OF A.S.T.M. A-48, CLASS 30. AND SHALL BE FURNISHED WITHOUT PAINT (AASHTO#306-891)

SQUARE ' GRATE ' EAST JORDAN V-5724-1 OR US FOUNDRY USF 4618 FRAME & 6258 GRATE OR APPROVED EQUAL							
CULVERT SIZE	BOTTOM SLAB	TOP SLAB (A & B)	C & D	CULVERT SIZE	BOTTOM SLAB	TOP SLAB	C & D
12"DIA.	4'-2"X 4'-2"	3'-2"X 3'-2"	7 7/8"	21"DIA.X24"DIA.	5'-0"X 5'-0"	4'-6"X 4'-6"	15 7/8"
15"DIA.	4'-4"X 4'-4"	3'-4"X 3'-4"	8 7/8"	27"DIA.X30"DIA.	6'-0"X 6'-0"	5'-0"X 5'-0"	18 7/8"
18"DIA.	4'-6"X 4'-6"	3'-6"X 3'-6"	9 7/8"	36"DIA.	6'-6"X 6'-6"	5'-6"X 5'-6"	21 7/8"


RECTANGULAR 'GRATE' EAST JORDAN V-5662 OR BARRYCRAFT B-1878-B6 W/GRATE OR APPROVED EQUAL				
CULVERT SIZE ON WALLS A & B	WALL "A"	" C "	WALL "B"	" D "
21"DIA& 24"DIA. B& S	4'- 6"	15" (3 NO.5 BARS)	4'- 6"	15" (3 NO.5 BARS)
27"DIA& 30"DIA. B& S	5'- 0"	18" (3 NO.5 BARS)	5'- 0"	15" (3 NO.5 BARS)
36"DIA. B& S	5'- 9"	22 1/2" (3 NO.5 BARS)	5'- 9"	19 1/2" (3 NO.5 BARS)
42"DIA. B& S	6'- 6"	27" (4 NO.5 BARS)	6'- 6"	24" (4 NO.5 BARS)
48"DIA. B& S	7'- 0"	30" (5 NO.5 BARS)	7'- 0"	27" (4 NO.5 BARS)
54"DIA. T& G	7'- 3"	31 1/2" (5 NO.5 BARS)	7'- 3"	28 1/2" (5 NO.5 BARS)
60"DIA. T& G	7'- 9"	35" (6 NO.5 BARS)	7'- 9"	32" (6 NO.5 BARS)
72"DIA. T& G	9'- 0"	42" (7 NO.5 BARS)	9'- 0"	39" (7 NO.5 BARS)

B & S = BELL & SPIGOT
T & G = TONGUE & GROOVE
W.I. = WROUGHT IRON




NOTE:
SOLID COVERS ARE AVAILABLE ON REQUEST.


SQUARE D.I.
N.T.S.



FRAME AND GRATE TOP VIEW



GRATE SECTION




FRAME SECTION


RECTANGULAR D.I.
N.T.S.



FRAME SECTION




TEE INLET DETAIL
N.T.S.




GRATE SECTION


3'X 3' CONCRETE PAD



TOP VIEW
7 NO.3 BARS SPACED AS SHOWN (EACH WAY)
N.T.S.




SECTION " A - A "
N.T.S.



SECTION " B - B "
N.T.S.


DROP INLET DETAIL




APPLICABLE TO TONGUE AND GROOVE PIPE
(ARCH PIPE ONLY)
N.T.S.

ARCH PIPE (RISE X SPAN)	X (INCHES)	¼ X (INCHES)
13 ½" X 22"	2"	½"
15 ½" X 26"	2 ¼"	9/16"
18" X 28 ½"	3"	¾"
22 9/16" X 36 ¼"	3 ¾"	15/16"
26 5/8" X 43 ¾"	3"	¾"
31 5/16" X 51 ½"	3 ½"	7/8"
36" X 58 ½"	4 ½"	1 1/8"
40 ¼" X 65"	5 ¼"	1 5/16"
45" X 73 ½"	5"	1 ¼"
54" X 88"	6"	1 ½"
62 9/16" X 102"	6 ½"	1 ½"
77 3/16" X 122"	7"	1 ¾"


MID-POINT OF PIPE FROM 15"DIA. TO 21"DIA. OR POINT OF CONTACT WITH PIPE WALL FOR PIPE SIZE 24"DIA. AND LARGER.



" DETAIL A "
N.T.S.



" DETAIL B "
N.T.S.



SECTION "C-C"
N.T.S.

SHEET NUMBER	STJ-02
ST. JOHN THE BAPTIST	—	LOUISIANA
PARISH	CONTROL SECTION	STATE
DESIGN PES	DETAIL DRW	DATE OCTOBER 2026
CHECK R.J.D	CHECK R.J.D	SERIES


NO.	DATE	REVISION OR CHANGE ORDER DESCRIPTION	BY

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

TYPICAL DRAINAGE DETAILS

digital engineering
DIGITAL ENGINEERING, LLC
4324 N. DEPOYANAU AVE., STE. 200
KENNER, LA. 70065 - TEL: (504) 468-8220


DWG PATH: S:\#ST.JOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\FY26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: _STJ02-02 LAYOUT TAB: STJ-02 DATE of PLOT: Tuesday, October 27, 2026 @ 8:41am



TYPICAL CONCRETE DRAINAGE PIPE TRENCH DETAIL

(36"-72" RCP) AND [42"-96" RCPA]

N.T.S.



SMALL (RCP) & [RCPA] PIPE TRENCH DETAILS

N.T.S.

(RCP) & [RCPA] MINIMUM *** BEDDING THICKNESS (in.)

		UNDISTURBED SUBGRADE NET ALLOWABLE SOIL BEARING CAPACITY (psf.)				
		300-400	401-500	501-600	601-700	>700
PIPE SIZE (RCP) (RCPA)	BEDING LAYER					
(36" & 42")	(1)	20"	18"	16"	14"	12"
[42" & 48"]	(2)	8"	8"	8"	8"	8"
TOTAL THICKNESS		28"	26"	24"	22"	20"
(48" & 54")	(1)	22"	20"	18"	14"	12"
[54" & 60"]	(2)	10"	10"	10"	10"	10"
TOTAL THICKNESS		32"	30"	28"	24"	22"
(60" & 72")	(1)	34"	30"	26"	16"	14"
[72",84"& 96"]	(2)	10"	10"	10"	10"	10"
TOTAL THICKNESS		44"	40"	36"	26"	24"

FOR CONTRACT, ASSUME THESE PARAMETERS UNLESS OTHERWISE INDICATED.

PIPE BEDDING LIMESTONE


57 LIMESTONE		
U.S. SIEVE	METRIC SIEVE	PERCENT PASSING
1½"	37.5 mm	100
1"	25 mm	95-100
½"	12.5 mm	25-60
#4	4.75 mm	0-10
#8	2.36 mm	0-5

MODIFIED 610 LIMESTONE		
U.S. SIEVE	METRIC SIEVE	PERCENT PASSING
1½"	37.5 mm	100
1"	25 mm	90-100
¾"	19 mm	70-100
½"	12.5 mm	60-90
⅜"	9.5 mm	50-80
#4	4.75 mm	35-65
#40	425 μ m	12-32
#200	75 μ m	5-12

LEGEND:

(RCP) REINFORCED CONCRETE CIRCULAR (ROUND) PIPE.

[RCPA] REINFORCED CONCRETE ARCH PIPE



FLEXIBLE PIPE DRAIN LINE STANDARD TRENCH DETAIL

- PVC [A-2000, CORR-21, AND ULTRA CORR PVC PIPE (ASTM F-794 AND ASTM D2321)].
- POLYPROPYLENE [HP STORM (ASTM F2881, AASHTO M330, ASTM D2321)].
- N.T.S.

MIN. COVER (PVC PIPE)	PAVEMENT TYPE
12"	CONCRETE
18"	ASPHALT
24"	NON-PAVED

FLEXIBLE PIPE MINIMUM COVER NOTES

- ADDITIONAL PRECAUTIONS MAY BE REQUIRED ON JOBSITES, TO PREVENT STRUCTURAL DAMAGE TO THE PIPE, WHERE CONSTRUCTION TRAFFIC IN EXCESS OF DESIGN LOAD WILL BE PRESENT. ADDITIONAL COMPACTED SOIL SHOULD BE MOUNDED OVER THE PIPE TO CREATE A SAFE COVER. THIS MOUND CAN THEN BE GRADED AT THE END OF CONSTRUCTION WHEN HEAVY TRAFFIC IS NO LONGER PRESENT.
- TO PREVENT FLOTATION, THE CONTRACTOR SHOULD BE MINDFUL OF THE NORMAL WATER TABLE LEVEL AND RAIN EVENTS, GROUNDWATER OR RUNOFF WATER IN THE TRENCH DURING PIPE INSTALLATION. ADEQUATE DEWATERING IS REQUIRED IN THESE SITUATIONS.

NOTES:

*1. SIDE BEDDING WIDTH MAY BE REDUCED WITH PARISH PROJECT ENGINEER'S APPROVAL. (FOR FLEXIBLE PIPES, THIS REDUCED WIDTH SHALL NOT BE LESS THAN 12" FOR PIPES SIZES 21" AND SMALLER, AND NOT LESS THAN 18" FOR PIPES SIZES 24"-36".)

2. THE PUBLIC WORKS DEPARTMENT RESERVES THE RIGHT TO MODIFY PIPE BEDDING REQUIREMENTS IN ACCORDANCE WITH EXISTING FIELD CONDITIONS ENCOUNTERED DURING CONSTRUCTION.

3. TRENCH SAFETY IS THE RESPONSIBILITY OF THE CONTRACTOR. THE PARISH OR ITS REPRESENTATIVES RESERVE THE RIGHT TO REQUIRE THE CONTRACTOR TO MODIFY ANY PORTIONS OF SHORING SYSTEM DEEMED UNSAFE, BUT THE FINAL RESPONSIBILITY FOR THE WORKER'S SAFETY REMAINS WITH THE CONTRACTOR. TRENCH DESIGN AND CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST OSHA STANDARDS AND REQUIREMENTS.

4. TIMBER SHEETING, IF USED, MUST REMAIN IN PLACE AND BE CUT OFF A MINIMUM OF 3 FEET BELOW FINISHED GRADE.

5. ALL CONCRETE PIPE SHALL BE A.S.T.M. C-76 (RCP) AND A.S.T.M. C-506 [RCPA], CLASS III, WALL B, REINFORCED CONCRETE PIPE WITH TYPE 2 JOINTS.

6. THE CONTRACTOR MUST REVIEW ALL DETAILS AND CHARTS INCLUDED ON THIS STANDARD DRAWING SHEET PRIOR TO BIDDING. FOR PIPES 36" AND LARGER, THE TRENCH DESIGN AND BEDDING THICKNESSES WILL VARY DEPENDING ON THE "UNDISTURBED SUBGRADE NET ALLOWABLE SOIL BEARING CAPACITY" VALUE. THE "DESCRIPTION SECTION" OF "TECHNICAL SPECIFICATIONS" FOR "CULVERTS AND STORM DRAINS" MUST REFERENCE THIS TYPICAL SECTION DRAWING AND MUST PROVIDE THE "UNDISTURBED SUBGRADE NET ALLOWABLE SOIL BEARING CAPACITY". VALUE.

**7 WHERE GROUND WATER OR AN UNSTABLE TRENCH BOTTOM EXISTS, THE TRENCH BOTTOM SHALL BE STABILIZED (ASTM D2321) TO PROVIDE A WORKING PLATFORM. REMOVE MUCK OR OTHER SOFT MATERIAL, TREE ROOTS, AND/OR ANY OTHER UNDESIRABLE MATERIAL FROM THE TRENCH BOTTOM TO A DEPTH NECESSARY TO ESTABLISH A FIRM FOUNDATION.

***8. GEOTECHNICAL REPORT'S RECOMMENDATIONS FOR PIPE BEDDING, IF MORE STRINGENT, SHALL SUPERSEDE THESE MINIMUM THICKNESSES.

SHEET NUMBER: STJ-03

ST. JOHN THE BAPTIST PARISH | - CONTROL SECTION | LOUISIANA STATE

DESIGN PES | CHECK RJD | DETAIL DRW | CHECK RJD | DATE OCTOBER 2026 | SERIES


NO.	DATE	REVISION OR CHANGE ORDER DESCRIPTION	BY

digital engineering
DIGITAL ENGINEERING & MAPPING, LLC
107 W. CONGRESS ST., STE. 203
LAFAYETTE, LOUISIANA 70501


CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

TYPICAL DRAINAGE DETAILS


DWG PATH: S:\#ST.JOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\Y26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: STJCD-03 LAYOUT TAB: STJ-03 DATE of PLOT: Tuesday, October 27, 2026 @ 8:41am



COMPOSITE PAVEMENT REPAIR DETAIL
SCALE: N.T.S.




DETAIL "A"
SCALE: N.T.S.




BUTT JOINT – A
SCALE: N.T.S.

NOTES:
1. 8" CLASS II BASE COURSE & 6" GRANULAR SAND TO BE INSTALLED ONLY IF EX. BASE IS DEEMED UNSUITABLE.
2. BUTT JOINT-A ONLY APPLICABLE WHERE EXISTING CONCRETE IS NOT SUITABLE FOR DOWELING. THE PLACEMENT OF THIS JOINT WILL BE DETERMINED BY PROJECT ENGINEER IN THE FIELD.
3. MINIMUM BAR LENGTH IS TO BE 24".
4. BARS ARE TO BE 12" O.C. AT TRANSVERSE JOINTS AND 24" O.C. AT LONGITUDINAL JOINTS.




DOWEL BAR DETAIL FOR TRANSVERSE JOINTS
SCALE: N.T.S.

NOTES:
1. THE ENGINEER WILL DECIDE, PER EXISTING FIELD CONDITIONS, WHETHER TO SALVAGE EXISTING STARLUGS OR REPLACE WITH DOWEL BARS.
2. INSTALLING DOWEL BARS AT BUTT JOINT.
   I. REMOVE ALL OF THE STARLUGS FROM THE OLD EXISTING SECTION OF CONCRETE WITHOUT DAMAGING THE SLAB.
   II. DRILL 1¼" HOLE 9" IN LENGTH BETWEEN STARLUG LOCATIONS IN THE EXISTING SLAB AT CENTER OF SLAB WHERE EXISTING CONCRETE IS > 5".
   III. INSERT A 1" PLASTIC COATED SMOOTH DOWEL BAR, 18" LONG, 9" DEEP INTO THE DRILLED HOLE AND GROUT WITH APPROVED EPOXY GROUT.
   IV. IF EXISTING CONCRETE IS < 5" A BUTT JOINT WILL BE PLACED ALONG THE FULL LENGTH OF THE TRANSVERSE JOINT.
   V. GREASE THE REMAINDER OF THE DOWEL BAR AND SLIP A 4" PLASTIC SLEEVE FILLED WITH GREASE OVER END OF BAR AS SHOWN IN DETAIL.
   VI. POUR THE NEW SLAB WITH SMOOTH DOWEL BARS IN POSITION.
   VII. DO NOT TOE CONCRETE UNDER EXPANSION BOARD OR UNDER EXISTING PAVEMENT.
   VIII. IF THE EXPANSION BOARD IS DAMAGED AND CANNOT BE SALVAGED, REMOVE THE BOARD AND REPLACE WITH AN APPROVED FLEXIBLE JOINT MATERIAL.




DOWEL BAR DETAIL FOR LONGITUDINAL JOINTS
SCALE: N.T.S.

NOTES:
1. THE ENGINEER WILL DECIDE, PER EXISTING FIELD CONDITIONS, WHETHER TO SALVAGE EXISTING STARLUGS OR REPLACE WITH DOWEL BARS.
2. INSTALLING DOWEL BARS AT BUTT JOINT.
   I. REMOVE ALL OF THE STARLUGS FROM THE OLD EXISTING SECTION OF CONCRETE WITHOUT DAMAGING THE SLAB.
   II. DRILL ⅝" HOLE 12" IN LENGTH BETWEEN STARLUG LOCATIONS IN THE EXISTING SLAB AT CENTER OF SLAB.
   III. INSERT A #4 DEFORMED DOWEL BAR, 24" LONG, 12" DEEP INTO THE DRILLED HOLE AND GROUT WITH APPROVED EPOXY GROUT.
   IV. IF EXISTING CONCRETE IS < 5", A BUTT JOINT WILL BE PLACED OR THE CONTRACTOR WILL BE ADVISED OF AN APPROPRIATE LENGTH FOR THE LONGITUDINAL BUTT JOINT BY THE ENGINEER REPRESENTATIVE.
   V. POUR THE NEW SLAB WITH SMOOTH DOWEL BARS IN POSITION.
   VI. DO NOT TOE CONCRETE UNDER EXPANSION BOARD OR UNDER EXISTING PAVEMENT.
   VII. IF THE EXPANSION BOARD IS DAMAGED AND CANNOT BE SALVAGED, REMOVE THE BOARD AND REPLACE WITH AN APPROVED FLEXIBLE JOINT MATERIAL.




CONCRETE PAVEMENT REPAIR
SCALE: N.T.S.




ASPHALT PAVEMENT REPAIR
SCALE: N.T.S.

NOTES:
1. (SEE I ON PLAN VIEW) PLACE A BOND BREAKER IN THE LONGITUDINAL JOINT WHEN THE PATCH IS <10 FEET IN LENGTH. WHEN THE LENGTH OF PATCH IS > 10 FEET PLACE TIE BARS IN THE ADJACENT SLAB/S IN THE LONGER PORTION ON THE LONGITUDINAL JOINT (WITH RESPECT TO THE EXISTING TRANSVERSE JOINT). PLACE A BOND BREAKER IN THE REMAINING SHORTER PORTION OF THE LONGITUDINAL JOINT. FOR THE CASES WHERE THE PATCH IS >10 FEET AND EVENLY SPACED ACROSS THE TRANSVERSE JOINT, PLACE TIE BARS ON THE LEADING SIDE EDGE WITH RESPECT TO TRAFFIC.
2. (SEE 2 ON PLAN VIEW) PLACE A BOND BREAKER IN THE LONGITUDINAL JOINT WHEN THE PATCH IS <10 FEET IN LENGTH. PLACE TIE BARS IN THE ADJACENT SLAB/S ON THE LONGITUDINAL JOINT WHEN THE LENGTH OF PATCH IS >10 FEET.
3. REMOVE AND REPLACE DETERIORATED BASE COURSE WITH CONCRETE WITHIN THE PATCHING LIMITS.
4. (SEE 4 ON ELEVATION VIEW) USE TABLE 1 ON CP-01 FOR THE TRANSVERSE DOWEL BAR AND LONGITUDINAL TIE BAR SIZE AND SPACING.
5. (SEE 5 ON ELEVATION VIEW) USE 1" (#8) TIE BAR FOR SLAB THICKNESS 8" TO 10" AND 1.25" (#10) TIE BAR FOR SLAB THICKNESS >10" FOR TRANSVERSE BUTT JOINT SPACED AT 12" CENTER TO CENTER. USE 18" LENGTHS FOR ALL TRANSVERSE BUTT JOINT TIE BARS. DRILL HOLES FOR TIE BARS INTO THE MIDDLE OF THE VERTICAL FACE OF EXISTING PAVEMENT. DRILL HOLES NO LONGER ⅛" LARGER THAN THE DIAMETER OF THE BAR USED. USE APPROVED ADHESIVE ANCHOR SYSTEM TO EMBED TIE BARS INTO EXISTING PAVEMENT.
6. CONFORM TO 601.03.080 (6) FROM THE LOADOTD 2026 LOUISIANA STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES & CP-01 FOR TRANSVERSE CONTRACTION JOINTS.
7. COAT EXISTING TRANSVERSE VERTICAL FACES WITH NEAT CEMENT JUST PRIOR TO POURING PATCH.
8. THE TYPE OF COURSE AGGREGATE (GRAVEL OR LIMESTONE) USED IN THE EXISTING PAVEMENT SHALL BE USED FOR THE COURSE AGGREGATE OF THE TYPE E PATCHING CONCRETE.
9. PAYMENT FOR ALL WORK PERFORMED IN THIS DETAIL UNDER ITEM: FULL DEPTH PATCHING OF JOINTED CONCRETE PAVEMENT.




SECTION THRU STREET
(REPLACEMENT OF CENTERLINE)

REPLACEMENT OF QUARTER POINT JOINTED SLABS
SCALE: N.T.S.



END VIEW


REPLACING JOINT WITH DAMAGED STARLUG SITUATION & DOWELING EXISTING TO PROPOSED CONCRETE
SCALE: N.T.S.



PLAN VIEW

REPLACEMENT OF HALF PANEL SLABS
SCALE: N.T.S.


NOTES:
1. REMOVE THE SLAB JOINT TO JOINT.
2. REPLACE EXPANSION JOINT, TRANSVERSE OR LONGITUDINAL JOINT AS NEEDED.
3. REWORK THE BASE TO GRADE.
4. FILL UNEVEN SPOTS AND DRESS THE AREA WITH EMBANKMENT.
5. POUR THE NEW SLAB TO REQUIRED GRADE AND 9" THICK.
6. REPAIR THE ADJOINING DAMAGED AREAS, AS NEEDED, WITH EPOXY OR OTHER APPROVED MEANS.




SIDE VIEW
SCALE: N.T.S.

NOTES:
1. IF TRENCH IS BETWEEN THE EDGE OF THE ROAD AND 1ST. QUARTER POINT, REMOVE SLABS TO THE QUARTER POINT AND REPLACE THE SECTION TO GRADE AND THICKNESS AS SPECIFIED, AND FORM BUTT JOINT.
2. IF TRENCH IS BETWEEN THE CURB AND CENTERLINE, PAST THE QUARTER POINT, SAW CUT THE PAVEMENT ALONG CENTERLINE, REMOVE HALF THE SLAB, REPLACE HALF SLAB WITH NEW CONCRETE TO SPECIFIED THICKNESS AND FORM A BUTT JOINT ALONG CENTERLINE. INSTALL QUARTER POINT IN THE NEW SLAB.
3. EXISTING SLOPE MAY BE PARABOLIC OR TANGENT. SLOPE OF THE NEW SLAB SHALL MATCH THE EXISTING SLAB.

NOTES:
1. IF TRENCH IS BETWEEN THE EDGE OF THE ROAD AND 1ST. QUARTER POINT, REMOVE SLABS TO THE QUARTER POINT AND REPLACE THE SECTION TO GRADE AND THICKNESS AS SPECIFIED, AND FORM BUTT JOINT.
2. IF TRENCH IS BETWEEN THE CURB AND CENTERLINE, PAST THE QUARTER POINT, SAW CUT THE PAVEMENT ALONG CENTERLINE, REMOVE HALF THE SLAB, REPLACE HALF SLAB WITH NEW CONCRETE TO SPECIFIED THICKNESS AND FORM A BUTT JOINT ALONG CENTERLINE. INSTALL QUARTER POINT IN THE NEW SLAB.
3. EXISTING SLOPE MAY BE PARABOLIC OR TANGENT. SLOPE OF THE NEW SLAB SHALL MATCH THE EXISTING SLAB.




PLAN VIEW
SCALE: N.T.S.



NOTES:
1. HOT POURED SEALANT SHALL CONFORM TO SECTION 602.3.080 OF THE STANDARD SPECIFICATIONS.
2. FOR MORE INFORMATION SEE SHEET 1 OF 2.
3. ALL WORK ON THIS DETAIL TO BE PAID UNDER ITEM LABELED: FULL DEPTH PATCHING OF JOINTED CONCRETE PAVEMENT

LONGITUDINAL SECTION VIEW (<10')
SCALE: N.T.S.



PATCHING DETAIL AT TRANSVERSE JOINT
SCALE: N.T.S.

SHEET NUMBER	STJ-04
PARISH: ST. JOHN THE BAPTIST	CONTROL SECTION: –	STATE: LOUISIANA
DESIGN: PES	DETAIL: DRW	DATE: OCTOBER 2026
CHECK: RJD	CHECK: RJD	SERIES


NO.	DATE	REVISION OR CHANGE ORDER DESCRIPTION	BY

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

TYPICAL DRAINAGE DETAILS


digital engineering
DIGITAL ENGINEERING & SURVEYING, LLC
425 N. CYPRESS AVE., STE. 200
KENNER, LA. 70062 (504) 305-8135

DWG PATH: S:\#STJOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\FY26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: _STJCD-04 LAYOUT TAB: STJ-04 DATE of PLOT: Tuesday, October 27, 2026 @ 8:41am



TYPE EJ
TRANSVERSE EXPANSION JOINT
(SECTION "A–A")


SCALE: N.T.S.



DEFORMED LONGITUDINAL JOINT
(SECTION "C–C")


SCALE: N.T.S.

(ALSO CALLED METAL KEYED JOINT)




5" HIGH ROLLOVER TYPE
CONCRETE CURB
(CONCRETE PAVEMENT ROADWAY)

SCALE: N.T.S.




5" HIGH ROLLOVER TYPE
CONCRETE CURB & GUTTER
(ASPHALT PAVEMENT ROADWAY)

SCALE: N.T.S.



MODIFIED ROLLOVER CURB


SCALE: N.T.S.



TYPE DJ OR CJ
(SECTION "B–B")

SCALE: N.T.S.


(TRANSVERSE DUMMY JOINT
OR CONSTRUCTION JOINT)



NOTE:
ALL JOINTS FOR CONCRETE PAVEMENT SHOWN IN LA. D.O.T.D. STANDARD PLANS CP-01 CAN BE USED AT THE REQUEST OF THE ENGINEER WHO SHALL PROVIDE CONSTRUCTION DETAILS TO CONTRACTOR.


OBLIQUE VIEW METAL PARTING STRIP
FOR DEFORMED LONGITUDINAL JOINT

SCALE: N.T.S.




8" HIGH BARRIER TYPE
CONCRETE CURB & GUTTER
(ASPHALT PAVEMENT ROADWAY)

SCALE: N.T.S.




6" HIGH BARRIER TYPE
CONCRETE CURB & GUTTER
(ASPHALT PAVEMENT ROADWAY)

SCALE: N.T.S.




MODIFIED BARRIER
CURB & GUTTER

SCALE: N.T.S.




DETAIL "A"

SCALE: N.T.S.




CURB DOWELS

SCALE: N.T.S.




MODIFIED CURB DOWELS
(USED ON MODIFIED BARRIER CURB)

SCALE: N.T.S.




HEAVY DUTY BARRIER TYPE
CONCRETE CURB
(CONCRETE PAVEMENT ROADWAY)

SCALE: N.T.S.




6" HIGH BARRIER TYPE
CONCRETE CURB
(CONCRETE PAVEMENT ROADWAY)

SCALE: N.T.S.




MODIFIED BARRIER CURB

SCALE: N.T.S.




LONGITUDINAL BUTT JOINT
(APPLICABLE TO MAJOR STREETS)

SCALE: N.T.S.



TRANSVERSE BUTT JOINT
(APPLICABLE TO MAJOR STREETS)


SCALE: N.T.S.



NOTE:
WHERE CURB AND GUTTER IS USED, CONSTRUCT MODIFIED BARRIER CURB AND GUTTER INSTEAD OF MOUNTABLE CURB AND GUTTER.

ROLLOVER CURB IN THE GORE AREA
(U–TURN, LEFT TURN LANE OR ROADWAY SPLIT)

SCALE: N.T.S.



PORTLAND CEMENT CONCRETE
PAVEMENT DETAIL

SCALE: N.T.S.

SHEET NUMBER: STJ-05

PARISH	CONTROL SECTION	STATE
ST. JOHN THE BAPTIST	–	LOUISIANA

DESIGN	CHECK	DETAIL	CHECK	DATE	SERIES
PES	RJD	DRW	RJD	OCTOBER 2026	


NO.	DATE	REVISION OR CHANGE ORDER DESCRIPTION	BY

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

TYPICAL DRAINAGE DETAILS

digital engineering
DIGITAL ENGINEERING & SURVEYING, LLC
431 N. EDWARDS AVE., STE. 203
GONZALES, LOUISIANA 70737 (225) 450-8125


DWG PATH: S:\#STJOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\FY26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: _STCD-05 LAYOUT TAB: STJ-05 DATE of PLOT: Tuesday, October 27, 2026 @ 8:41am




EXPANSION JOINT LAYOUT FOR NEW DRIVEWAY
SCALE: N.T.S.

DRIVEWAY NOTES:


* 1. DRIVEWAY WIDTH SHALL BE AS DIRECTED BY PROJECT ENGINEER IN FIELD.
** 2. LIMITS OF DRIVEWAYS SHALL BE AS DIRECTED BY PROJECT ENGINEER IN THE FIELD.
*** 3. LIMITS OF SIDEWALK REMOVAL TO BE DETERMINED IN FIELD BY PROJECT ENGINEER.
**** 4. FLARE WIDTHS MAY HAVE TO BE ADJUSTED TO MEET FIELD CONDITIONS. PROJECT ENGINEER SHALL DIRECT CONTRACTOR IN FIELD.
5. DRIVEWAY SLOPE SHALL NOT EXCEED 7% WITHOUT WRITTEN APPROVAL FROM PROJECT ENGINEER.
6. NO WORK SHALL BE PERFORMED ON PRIVATE PROPERTY UNLESS THE PARISH HAS OBTAINED A RIGHT OF ENTRY FROM THE PROPERTY OWNER.
7. MATCH EXISTING DRIVEWAY MATERIALS "IN KIND". (EXP. AGGREGATE, BRICK, ETC...) NO ADDITIONAL COMPENSATION FOR VARIATIONS IN MATERIALS AND FINISHES. IF PROJECT ENGINEER DETERMINES THAT TYPICAL DRIVEWAY DETAIL IS NOT FEASIBLE, CONTRACTOR TO REPLACE "IN KIND".
8. SIDEWALK AND DRIVEWAY APRON THICKNESS SHALL BE 6" FOR RESIDENTIAL.
9. TRANSITIONS WHERE SIDEWALKS MEET DRIVEWAYS SHALL NOT EXCEED THE MAXIMUM ALLOWABLE SLOPE OF 2.00%
10. EXPANSION JOINTS WILL BE REQUIRED ALONG RIGHT-OF-WAY (R.O.W.) LINE OR SERVITUDE LINE. (SEE DETAIL B) (APPLICABLE IN ALL SITUATIONS)
11. METAL KEYED JOINTS NEEDED FOR DRIVEWAYS GREATER THAN 16 FEET IN WIDTH.
12. DRIVEWAYS CONSTRUCTION OF PORTLAND CEMENT CONCRETE SHALL HAVE A COMPRESSIVE STRENGTH OF FOUR THOUSAND (4000) POUNDS PER SQUARE INCH IN FOURTEEN (14) DAYS.




DRIVEWAY TYPICAL SECTION (SECTION "A-A")
SCALE: N.T.S.




DOWEL DETAIL
SCALE: N.T.S.




NEW DRIVEWAY CONNECTION TO EXISTING ASPHALT ROADWAY WITHOUT CURB (DETAIL "A")
SCALE: N.T.S.



NEW DRIVEWAY CONNECTION TO EXISTING CONCRETE ROADWAY WITH ROLLOVER CURB (CURB TO BE REMOVED) (DETAIL "B")
SCALE: N.T.S.



DETAIL "C"
SCALE: N.T.S.



NEW DRIVEWAY CONNECTION TO EXISTING CONCRETE ROADWAY WITHOUT CURB (DETAIL "D")
SCALE: N.T.S.

SHEET NUMBER: STJ-06

PARISH	CONTROL SECTION	STATE
ST. JOHN THE BAPTIST	-	LOUISIANA

DESIGN	CHECK	DETAIL	CHECK	DATE	SERIES
PES	RJD	DRW	RJD	OCTOBER 2026	


NO.	DATE	REVISION OR CHANGE ORDER DESCRIPTION	BY

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

TYPICAL DRAINAGE DETAILS

digital engineering
DIGITAL ENGINEERING SERVICES, INC.
102 N. EDEN MANOR AVE., STE 200
HAMMOND, LOUISIANA 70401 (985) 340-1919


DWG PATH: S:\ST.JOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\F'26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: STJCD-06 LAYOUT TAB: STJ-06 DATE of PLOT: Tuesday, October 27, 2026 @ 8:41am




SIDE SLOPE:
PROVIDE NON SLIP SURFACE BY TOOLING OR RAKING (1" TO 2" SPACING IN EACH DIRECTION) (GROOVES TO BE APPROX. ¼" DEEP x ⅛" WIDE).

NOTE:
ALL CONCRETE FOR HANDICAPPED CURB RAMP SHALL BE 6" THICK OR 8" THICK AT MAJOR STREET INTERSECTIONS.

PLAN OF TYPICAL SIDEWALK WITH RAMP FOR HANDICAPPED
SCALE: N.T.S.



ALTERNATE #1 PLAN OF CURB RAMP FOR THE HANDICAPPED
SCALE: N.T.S.



PARTIAL PLAN SHOWING 2'-0" OFFSET FOR TRUNCATED DOMES
SCALE: N.T.S.


PARTIAL PLAN OF TRUNCATED DOMES
SCALE: N.T.S.
(ADAAG DETECTABLE WARNINGS ON WALKING SURFACES 09/15/2010)

SECTION THROUGH TRUNCATED DOMES
SCALE: N.T.S.
(ADAAG DETECTABLE WARNINGS ON WALKING SURFACES 09/15/2010)


NOTES:
1. TRUNCATED DOMES IN A DETECTABLE WARNING SURFACE SHALL HAVE A BASE DIAMETER OF 0.9 INCHES (23 mm) MINIMUM TO 1.4 INCHES (36 mm) MAXIMUM, A TOP DIAMETER OF 50% OF THE BASE DIAMETER MINIMUM TO 65% OF THE BASE DIAMETER MAXIMUM, AND A HEIGHT OF 0.2 INCHES (5 mm).
2. TRUNCATED DOMES IN A DETECTABLE WARNING SURFACE SHALL HAVE A CENTER-TO-CENTER SPACING OF 1.6 INCHES (41 mm) MINIMUM AND 2.4 INCHES (61 mm) MAXIMUM, AND A BASE-TO-BASE SPACING OF 0.65 INCHES (16 mm) MINIMUM, MEASURED BETWEEN THE MOST ADJACENT DOMES ON SQUARE GRID.
3. TRUNCATED DOMES SURFACES SHALL CONTRAST VISUALLY WITH ADJACENT WALKING SURFACES EITHER LIGHT-ON-DARK, OR DARK ON LIGHT.
4. THE MATERIAL USED TO PROVIDE CONTRAST SHALL BE AN INTEGRAL PART OF THE WALKING SURFACE. DETECTABLE WARNINGS USED ON INTERIOR SURFACES SHALL DIFFER FROM ADJOINING WALKING SURFACES IN RESILIENCY OR SOUND-ON-CANE CONTACT.
5. TRUNCATED DOMES ON CURB RAMPS WITHIN THE STREET R.O.W. SHALL BE PREFABRICATED DETECTABLE WARNING UNITS INSTALLED DIRECTLY IN NEWLY POURED CONCRETE.
6. TRUNCATED DOMES SHALL COVER AT LEAST 2 FEET IN DEPTH AND EXTEND FULL WIDTH OF THE RAMP. ANY RAMP HAVING FLARED SIDES WILL NOT BE REQUIRED TO HAVE THESE DETECTABLE WARNINGS ON THE FLARES.
7. THE LIMITS OF THE MAIN SURFACE OF THE RAMP ON WHICH THE DETECTABLE WARNINGS ARE PLACED SHALL HAVE A REDDISH COLOR SIMILAR TO THAT OF "TERRA COTTA". THE COLOR MUST BE APPROVED BY ST. JOHN PARISH.
8. STAMPING OF TRUNCATED DOMES WITHIN THE R.O.W. WILL NOT BE ALLOWED.
9. ALL NEW TRUNCATED DOMES SHALL BE THE REPLACEABLE TYPE AND SHALL BE WET-SET.

* SIDEWALK SPECIFICATIONS *


1. CONTACT THE DEPARTMENT OF PUBLIC WORKS, PRIOR TO BEGINNING ANY SIDEWALK CONSTRUCTION.
2. ALL SIDEWALK SHALL BE CONSTRUCTED OF PORTLAND CEMENT CONCRETE (PCC).
3. ALL (PCC) SIDEWALK CONSTRUCTED FOR RESIDENTIAL DWELLING SHALL HAVE A MINIMUM THICKNESS OF FOUR (4) INCHES AND ALL (PCC) SIDEWALKS CONSTRUCTED FOR COMMERCIAL BUILDINGS SHALL HAVE A MINIMUM THICKNESS OF FOUR (4) INCHES.
4. PORTLAND CEMENT CONCRETE SHALL HAVE A COMPRESSIVE STRENGTH AS SPECIFIED IN SECTION 706 OF THE LOUISIANA STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES, 2016 EDITION.
5. ALL SIDEWALKS SHALL BE CONSTRUCTED AT A MINIMUM DISTANCE OF ONE (1) FOOT FROM THE PROPERTY LINE AND OTHERWISE ALLOWED BY THE DIRECTOR OF THE DEPARTMENT OF PUBLIC WORKS.
6. ALL SIDEWALKS SHALL HAVE A MINIMUM WIDTH OF FIVE (5) FEET.
7. ALL (PCC) SIDEWALK SHALL HAVE EXPANSION JOINTS NO FURTHER APART THAN TWENTY-FIVE (25) FEET. EXPANSION JOINTS SHALL BE CONSTRUCTED OF ONE-HALF OR THREE-FOURTHS INCH THICK PREMOLDED EXPANSION MATERIAL, TREATED (ROT-RESISTANT) TIMBER, OR REDWOOD.
8. ALL (PCC) SIDEWALKS SHALL BE SCORED AT FIVE (5) FOOT INTERVALS TO A DEPTH OF 3/4".
9. ALL CORNERS SHALL BE FORMED BY EXPANSION JOINTS (SEE PLAN OF CORNER AT LEFT).
10. ALL (PCC) EDGES SHALL BE TOOLED TO ONE-FOURTH (1/4) INCH RADIUS.
11. TRANSITION RAMPS CONSTRUCTED WHERE NEW SIDEWALK MEETS EXISTING SIDEWALK SHALL HAVE A MAXIMUM LONGITUDINAL SLOPE OF 5%. SUCH RAMPS SHALL NOT EXTEND BEYOND THE PROJECTED SIDE PROPERTY LINES AND SHALL HAVE AN EXPANSION JOINT AT TOP OF SLOPE. PLACE EXPANSION JOINT AT BOTTOM OF SLOPE IF POSSIBLE (SEE ELEVATION VIEW "A").



ELEVATION VIEW "A" OF TRANSITION FROM NEW SIDEWALK TO EXISTING SIDEWALK
SCALE: N.T.S.



VIEW "C-C"
SCALE: N.T.S.



TYPICAL PAVER CROSSWALK SECTION
SCALE: N.T.S.

PAVER NOTES:
1. PAVER PATTERN AND COLORS TO MATCH THE CROSSWALK PAVER PATTERN AT THE INTERSECTION OF GIROD AND MADISON. CONTRACTOR SHALL DISCUSS WITH AND GET APPROVAL FROM PROJECT ENGINEER PRIOR TO CONSTRUCTION.
2. PAVERS SHALL BE 8x4x2¾ GEORGIAN EDGE F/R AND GEORGIAN EDGE SIESTA HEAVY DUTY PAVERS AS MANUFACTURED BY PINE HALL BRICK, OR APPROVED EQUAL.
3. CONCRETE BASE SHALL BE TYPE B CONCRETE. THE CONCRETE BASE SHALL BE FINISHED WITH A BROOM OR BRUSH.
4. SAND USED IN PAVER SETTING BED SHALL BE CLEAN, NATURALLY OCCURRING MATERIAL CONFORMING TO ASTM C33 "STANDARD SPECIFICATION FOR CONCRETE AGGREGATES", AND BE RECOMMENDED BY THE PAVER MANUFACTURER.
5. CLAY PAVERS SHALL COMPLY WITH ASTM C 1272 "SPECIFICATION FOR HEAVY VEHICULAR PAVING BRICK".
6. CONCRETE SAND COMPLYING ASTM C33 SHALL BE PLACED IN JOINTS BEFORE VIBRATION. COARSE PARTICLES THAT DO NOT FALL INTO JOINTS SHALL BE BRUSHED OF THE PAVEMENT SURFACE.
7. PAVERS SHALL BE COMPACTED AT THE END OF EACH DAY USING A PLATE COMPACTOR FITTED WITH A RUBBER MAT. AFTER INITIAL VIBRATION, DRY FINE-GRAINED JOINTING SAND IS BRUSHED OVER THE SURFACE OF THE PAVEMENT AND ADDITIONAL VIBRATION IS UNDERTAKEN UNTIL ALL OF THE JOINTS ARE COMPLETELY FILLED. JOINTING SAND SHALL BE LEVELED WITH THE BOTTOM OF THE CHAMFER.

SHEET NUMBER: STJ-07

PARISH	CONTROL SECTION	STATE
ST. JOHN THE BAPTIST	-	LOUISIANA

DESIGN	CHECK	DETAIL	CHECK	DATE	SERIES
PES	RJD	DRW	RJD	OCTOBER 2026	


NO.	DATE	REVISION OR CHANGE ORDER DESCRIPTION	BY

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT


TYPICAL DRAINAGE DETAILS

digital engineering
DIGITAL ENGINEERING & SURVEYING, LLC
125 N. DEPOT AVENUE, #101, STE. 203
HOUMA, LA 70360 - (985) 868-5626


DWG PATH: S:\ST.JOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\Y26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: STJ07-07 LAYOUT TAB: STJ-07 DATE of PLOT: Tuesday, October 27, 2026 @ 8:41am




PLAN




#6 BARS A




#4 BARS V




#4 BARS H



ELEVATION



SECTION A-A



DETAIL A

(MANHOLE IN PAVEMENT AREA)

GENERAL NOTES:

1. MANHOLE IS DESIGNED ACCORDING TO 4TH ED. 2007 AASHTO LRFD PROCEDURES. SECTION 702 OF THE DOTD STANDARD SPECIFICATIONS SHALL APPLY.
2. CONCRETE: ALL CONCRETE SHALL BE CLASS "M" MINOR STRUCTURE. ALL EXPOSED EDGES SHALL BE CHAMFERED ¾ IN. EXCEPT AS NOTED.
3. REINFORCING STEEL: REINFORCING STEEL SHALL BE GRADE 60. DIMENSIONS ARE TO BAR CENTERS. MINIMUM COVER FOR REINFORCING BARS SHALL BE 2 IN. CLEAR UNLESS SHOWN OTHERWISE.
4. SEE "DETAIL A" FOR DETAILS OF MANHOLE IN A PAVEMENT AREA.
5. THE CONTRACTOR WILL NOT POUR ABOVE THE BOTTOM OF THE SLAB UNTIL THE PAVING ADJACENT TO THE MANHOLE HAS BEEN COMPLETED.

R.C. MANHOLE
MAXIMUM DIMENSIONS: 11'10" X 7'2"
MAXIMUM DEPTH: 20'
MH-06

LOUISIANA DEPARTMENT OF TRANSPORTATION & DEVELOPMENT

STANDARD PLAN

DESIGN	CDJ	PARISH	ST. JOHN THE BAPTIST
CHECK	HJB	CONTROL SECTION	–
DETAIL	CDJ	STATE PROJECT	LOUISIANA
CHECK	HJB		
REVIEW		SERIES #	1 OF 1

APPROVED BY CHIEF ENGINEER:
DATE: 6/1/2026

NO.	DATE	REVISION OR CHANGE ORDER DESCRIPTION	BY

DESIGN	PES	PARISH	ST. JOHN THE BAPTIST
CHECK	RJD	CONTROL SECTION	–
DETAIL	DRW	STATE	LOUISIANA
CHECK	RJD		
DATE	OCTOBER 2026		
SERIES			


SHEET NUMBER: STJ-08

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

TYPICAL DRAINAGE DETAILS

digital engineering

DWG PATH: S:\STJOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\FY26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: STJCD-08 LAYOUT TAB: STJ-08 DATE of PLOT: Tuesday, October 27, 2026 @ 8:41am



SECTION C-C

PART PLAN
(SHOWING TOP SLAB)


PART SECTIONAL PLAN
(SHOWING REINFORCING IN BOTTOM SLAB AND WALLS)

GENERAL NOTES:


1. CATCH BASIN IS DESIGNED ACCORDING TO 4TH ED. 2007 AASHTO LRFD PROCEDURES. SECTION 702 OF THE DOTD STANDARD SPECIFICATIONS SHALL APPLY.
2. CONCRETE: ALL CONCRETE SHALL BE CLASS "M" MINOR STRUCTURE. ALL EXPOSED EDGES SHALL BE CHAMFERED ¾ IN. EXCEPT AS NOTED.
3. REINFORCING STEEL: REINFORCING STEEL SHALL BE GRADE 60. DIMENSIONS ARE TO BAR CENTERS. MINIMUM COVER FOR REINFORCING BARS SHALL BE 2 IN. CLEAR UNLESS SHOWN OTHERWISE.
4. AS DEPTH INCREASES THE WALL AND SLAB THICKNESSES AND REINFORCEMENT SHOULD BE INCREASED AS SHOWN IN THE TABLE BELOW. THE CONTRACTOR HAS THE OPTION TO PROVIDE THE MAXIMUM REQUIRED WALL THICKNESS FOR THE FULL DEPTH OF THE STRUCTURE.

DEPTH RANGE	WALLS			BOTTOM SLAB		
	N	D BARS		T	E BARS	
	IN.	SIZE	SPAC.,IN.	IN.	SIZE	SPAC.,IN.
0' TO 7'	6.0	4	4.5	6.0	4	7.5
7'-1" TO 11'	7.0	4	5.0	6.5	4	5.5
11'-1" TO 18'	8.0	5	5.5	7.5	4	4.5
18'-1" TO 20'	8.5	5	5.5	8.0	4	4.0


5. FOR DETAILS OF METAL COVER, FRAME, AND GRATE, SEE STD. PLAN MC-01, TYPE H & TYPE I.
6. THE CONTRACTOR WILL NOT POUR ABOVE THE BOTTOM OF THE SLAB UNTIL THE PAVING ADJACENT TO THE CATCH BASIN HAS BEEN COMPLETED.




TRANSITION IN CURB WIDTH
(TYPICAL)




SECTION
(SHOWING PAVEMENT SUMP TYPICAL)




SECTION D-D



SECTION B-B



SECTION A-A
SHOWING MOUNTABLE CURB



TRANSITION IN CURB HEIGHT
CATCH BASIN ON A GRADE

TRANSITION IN CURB HEIGHT
CATCH BASIN AT LOW POINT

#4 BARS A1

INSET "A"
RCP WITH BELLJOINT

#6 BARS G & H

SHEET NUMBER	STJ-09
PARISH	ST. JOHN THE BAPTIST
CONTROL SECTION	–
STATE PROJECT	LOUISIANA
DESIGN PES	DETAIL KAJ
CHECK RJD	CHECK WMR
DRW	REVIEW
CHECK RJD	SERIES # 1 OF 1
DATE OCTOBER 2026	SERIES

APPROVED BY CHIEF ENGINEER: DATE: 9/1/2026

NO.	DATE	REVISION OR CHANGE ORDER DESCRIPTION	BY

STATE OF LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT

CONCRETE CATCH BASIN
DOUBLE COMBINATION TYPE
4" MOUNTABLE OR 6" BARRIER CURB
MAX. PIPE: 72" X 84," MAX. DEPTH: 20'

CB-08

DOTD LOUISIANA DEPARTMENT OF TRANSPORTATION & DEVELOPMENT


STANDARD PLAN

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT


TYPICAL DRAINAGE DETAILS

digital engineering
DIGITAL ENGINEERING SERVICES, INC.
401 N. EDWARDS AVE., STE. 201
HAMMOND, LA 70401 • 985.542.8333


DWG PATH: S:\JST\JOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\FY26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: STJCD-09 LAYOUT TAB: STJ-09 DATE of PLOT: Tuesday, October 27, 2026 @ 8:41am



SECTION
EXISTING STRUCTURE



CATCH BASIN PLAN
SHOWING NEW CONSTRUCTION
GRATE TO BE TYPE "B" OR "C".
TYPE "B" SHOWN.*



MANHOLE PLAN
SHOWING NEW CONSTRUCTION

* TYPE "B" AND "C" GRATES SHOULD NOT BE USED IN THE TRAVEL LANE.

TYPE "B" GRATE IS TO BE USED WHERE NO PEDESTRIAN TRAFFIC AND NO VEHICULAR TRAFFIC IS EXPECTED. (DITCHES, ETC.)

TYPE "C" GRATE IS TO BE USED WHERE PEDESTRIAN TRAFFIC AND/OR LIGHT VEHICULAR TRAFFIC IS EXPECTED. (DRIVEWAYS, SHOULDERS, ETC.)


GENERAL NOTES:

DIMENSIONS RELATING TO REINFORCED STEEL ARE TO BARS CENTERS.

FOR DETAILS OF CATCH BASIN GRATE AND SEAT, SEE STD. PLAN MC-01 (TYPE B OR C).

FOR DETAILS OF MANHOLE CAST IRON COVER AND SEAT, SEE STD. PLAN MC-01 (TYPE K OR K_1).

PROJECT SPECIFICATIONS FOR MANHOLES, JUNCTION BOXES AND CATCH BASINS SHALL APPLY.



SECTION A-A
SHOWING NEW CONSTRUCTION FOR CATCH BASIN OR MANHOLE
(FOR CONCRETE OR BRICK WALL)

MAXIMUM SPAN	TOP SLAB	BAR SIZE	BAR SPACING
4'	8"	#5	8"
6'	8½"	#5	6"
8'	9½"	#5	5"
9'	10½"	#5	4"

ADJUSTMENT/CONVERSION OF EXISTING CATCH BASINS OR MANHOLES

NOTE:
1) FOR ALL CATCH BASIN ADJUSTMENTS, THIS DETAIL SHOULD BE INCLUDED IN THE PLANS AND PAID FOR WITH APPROPRIATE PAY ITEMS.
2) FOR ALL CATCH BASIN AND MANHOLE CONVERSIONS (CATCH BASIN TOP TO MANHOLE TOP OR MANHOLE TOP TO CATCH BASIN TOP), THIS DETAIL SHOULD BE INCLUDED IN THE PLANS ALONG WITH THE APPROPRIATE STANDARD PLAN/SPECIAL DETAIL TO CONSTRUCT THE NEW TOP. IF NO STANDARD PLAN/SPECIAL DETAIL IS INCLUDED, THE TOP IS TO BE BUILT AS SHOWN ON THIS DETAIL. ALL CONVERSIONS SHOULD BE PAID FOR WITH APPROPRIATE PAY ITEMS.
3) FOR ALL MANHOLE ADJUSTMENTS GREATER THAN 7", THIS DETAIL SHOULD BE INCLUDED IN THE PLANS AND PAID FOR WITH APPROPRIATE PAY ITEMS.
4) FOR ALL MANHOLE ADJUSTMENTS LESS THAN OR EQUAL TO 7", MANHOLE ADJUSTMENT RINGS MAY BE USED. SHOULD BE PAID FOR WITH APPROPRIATE PAY ITEMS AND NO DETAIL IS NEEDED IN THE PLANS. REFER TO STANDARD PLAN MC-01.
5) FOR ALL CATCH BASIN/MANHOLE ADJUSTMENTS, CLEAN EXISTING GRATES/FRAMES AS PER PROJECT SPECIFICATIONS FOR MANHOLES, JUNCTION BOXES AND AND CATCH BASINS.

SHEET NUMBER
PARISH
CONTROL SECTION
STATE PROJECT
DESIGN PAA
CHECK MH
DETAIL KAJ
CHECK MH
REVIEW
SERIES # 1 OF 1
APPROVED BY CHIEF ENGINEER:
DATE: 6/1/2026
NO. DATE REVISION OR CHANGE ORDER DESCRIPTION BY

ADJUSTMENT/CONVERSION OF EXISTING CATCH BASINS OR MANHOLES
CB-ADJUST

DOTD LOUISIANA DEPARTMENT OF TRANSPORTATION & DEVELOPMENT
STANDARD PLAN

SHEET NUMBER STJ-10
PARISH ST. JOHN THE BAPTIST
CONTROL SECTION –
STATE LOUISIANA
DESIGN PES
CHECK RJD
DETAIL DRW
CHECK RJD
DATE OCTOBER 2026
SERIES


CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

TYPICAL DRAINAGE DETAILS

NO. DATE REVISION OR CHANGE ORDER DESCRIPTION BY

digital engineering
DIGITAL ENGINEERING SERVICES, INC.
107 N. EDPLEMORE AVE., STE. 201
KENNER, LA 70062 | 504.305.0600


DWG PATH: S:\STJOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\FY26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: STJCD-10 LAYOUT TAB: STJ-10 DATE of PLOT: Tuesday, October 27, 2026 @ 8:42am



PLAN


(WEIGHT = 1200 LBS.)

ELEVATION



DETAIL A

ALL DIMENSIONS TYPICAL



END ELEVATION


SECTION P-P

NOTE: 4½" UNIFORM WALLS MAY BE USED AT SUPPLIER'S OPTION.

NOT TO BE USED WHERE SUBJECT TO VEHICULAR TRAFFIC.

NOTE: STANDARD PLAN MC-01 (DETAILS OF GRATES, FRAMES, SEATS, LIDS, ETC.) MAY BE OBTAINED FROM:

HYDRAULICS SECTION
DEPARTMENT OF TRANSPORTATION
AND DEVELOPMENT
P.O. BOX 94245
CAPITOL STATION
BATON ROUGE, LA 70804



#4 BAR A

GENERAL NOTES:

ALL CONCRETE TO BE CLASS "P".

SETTING TOLERANCE TO BE +0 & -1".

WELDED WIRE MESH TO BE OVERLAPPED A MINIMUM 3" FOR SPLICE.

OPENING TO MATCH TYPE OF PIPE SPECIFIED ON PLAN/PROFILE OR SUMMARY OF DRAINAGE STRUCTURES.

THE MANUFACTURER SHALL BE RESPONSIBLE FOR THE PLACEMENT OF ALL PICK-UP AND HANDLING DEVICES.

AFTER PLACEMENT OF PIPE, THE OPENING AROUND PIPE SHALL BE FILLED WITH FLEXIBLE PLASTIC JOINT MATERIAL.

DIMENSIONS RELATING TO REINFORCED STEEL ARE TO BAR CENTERS.

SHEET NUMBER

PARISH | CONTROL SECTION | STATE PROJECT

DESIGN CDJ | DETAIL KAJ | REVIEW | SERIES # 1 OF 1
CHECK | CHECK WMR

APPROVED BY CHIEF ENGINEER: DATE: 6/1/2026

NO. | DATE | REVISION OR CHANGE ORDER DESCRIPTION | BY

PRECAST OPEN TOP CATCH BASIN
Max. Pipe: 15"
Depth: Minimum
To be used with Std. Plan MC-01

CB-04

DOTD LOUISIANA DEPARTMENT OF TRANSPORTATION & DEVELOPMENT

STANDARD PLAN

SHEET NUMBER STJ-11

ST. JOHN THE BAPTIST | – | LOUISIANA
PARISH | CONTROL SECTION | STATE

DESIGN PES | DETAIL DRW | DATE OCTOBER 2026
CHECK R.J.D | CHECK R.J.D | SERIES

NO. | DATE | REVISION OR CHANGE ORDER DESCRIPTION | BY

CULVERTS AND DRAINAGE IMPROVEMENTS PROJECT

TYPICAL DRAINAGE DETAILS

digital engineering
827 A. W. Kaliste Saloom Rd., Ste. 200
Brent A. Kinchen, P.E. #37,200
Lafayette, Louisiana 70508 | 337.534.0309

DWG PATH: S:\ST.JOHN\25R00040.000 Engineering Services 2025-2028\25R00040.009 Culverts & Drainage Improvements 25-28\Y'26.27 Maintenance Contract\020 Design\CAD\
DWG NAME: ST-JOD-11 LAYOUT TAB: STJ-11 DATE of PLOT: Tuesday, October 27, 2026 @ 8:42am